

**MATERIAL: Light Removable Low Tak Fastfixers™**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

**Product Name:** Light Removable Low Tak Fastfixers™

**Supplier:** Techsil Ltd  
34 Bidavon Industrial Estate  
Waterloo Road  
Bidford on Avon  
Warwickshire  
B50 4JN  
Tel: +44(0)1789 773232  
Fax: +44(0)1789 774239  
Email: [sales@techsil.co.uk](mailto:sales@techsil.co.uk)

**Emergency Telephone:** +44(0)7971 228794

**SECTION 2: HAZARDS IDENTIFICATION**

**Main Hazards:** Generally considered harmless in a cold state.

**Specific Risks:** Do not eat or swallow dots.

**Main Symptoms:**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**Main Constituents:** A blend of high polymers, waxes and resins. No undue hazards.  
Thermo Plastic Rubber, Resin Blend, Plasticizer.

**SECTION 4: FIRST AID MEASURES**

**As Solid:** Skin: Wash hands – Eyes: Treat as an inert particle. Irrigate with water – Oral:  
Minimal toxicity

**SECTION 5: FIREFIGHTING MEASURES**

The adhesive will burn if subjected to temperatures over 200°C.  
No restrictions on fire fighting media.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

No related hazard.

**SECTION 7: HANDLING AND STORAGE**

**General:** Store in a clean dry place away from direct sunlight or sources of direct heat.

**Storage Conditions:** One year under normal ambient conditions: 15 – 35°C, dust free, not sensitive to frost

**Contact Details**

**SECTION 8: HANDLING AND STORAGE**

<b>Respiratory Protection:</b>	None Required
<b>Hand Protection:</b>	None Required
<b>Eye Protection:</b>	None Required
<b>Other Protective:</b>	None Required
<b>Clothing/Equipment:</b>	None Required
<b>Personal Precautions:</b>	None Required
<b>Toxicology Information:</b>	No adverse effects have been recorded

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Solid
<b>Colour:</b>	Colourless
<b>Odour:</b>	Slight
<b>Softening Point:</b>	Typically 78°C
<b>Decomposition Temperature:</b>	>250°C
<b>Flash Point:</b>	>250°C
<b>Ignition Temperature:</b>	>300°C
<b>Bulk Density:</b>	Ca 0.95 g/ml at 20°C
<b>Solubility:</b>	Not miscible with water: miscible with chlorinated solvents, aromatic hydrocarbons

**SECTION 10: STABILITY AND REACTIVITY**

<b>Stability:</b>	Very good
<b>Hazardous Decomposition Products:</b>	In case of fire or overheating: Carbon dioxide and acetic acid

**SECTION 11: TOXICOLOGICAL INFORMATION**

No adverse effects have been recorded

**SECTION 12: ECOLOGICAL INFORMATION**

<b>Other Information:</b>	As this product is not soluble in water, it does not alter, as a general rule, biological, physical or chemical properties of water and therefore the adhesive poses no ecological hazard in a solid state
---------------------------	--

**SECTION 13: DISPOSAL CONSIDERATIONS**

Waste incineration or landfill in accordance with appropriate local authority regulations

**SECTION 14: TRANSPORT INFORMATION**

<b>Hazards:</b>	This products is not dangerous according to the prescribed transport regulations
<b>UN Number:</b>	GGVS/GGVE – RID/ADR IDMG – ICAO/IATA – GGVSEE – DGR

**SECTION 15: REGULATORY INFORMATION**

See display packs, but no hazard warning or safety warning required

**Contact Details**

**SECTION 16: OTHER INFORMATION**

**DISCLAIMER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for their particular use.

**Contact Details**

Techsil Ltd  
Unit 34, Bidavon Industrial Estate, Waterloo Road, Bidford on Avon, Warwickshire, B50 4JN  
Tel: +44(0)1789 773232 Fax: +44(0)1789 774239 Email: sales@techsil.co.uk Web: www.techsil.co.uk  
QF28 Rev 2 (June 2016)