

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Industrial Silicone 5628E

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer

Uses advised against: Not known.

1.3 Details of the supplier of the safety data sheet

:
, ,

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Skin irritation

Category 2

H315: Causes skin irritation.

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H315: Causes skin irritation.

Precautionary Statements

Prevention:

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

Unknown toxicity - Health

Acute toxicity, oral 0 %

Acute toxicity, dermal 0 %

Industrial Silicone 5628E

Acute toxicity, inhalation, vapor 0 %
 Acute toxicity, inhalation, dust 0 %
 or mist

Additional Information: No data available.

2.3 Other hazards No data available.

SECTION 3: Composition/information on ingredients

Chemical nature: Mixture of polydimethylsiloxanes, fillers and cross-linkers.

3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
ethyltriacetoxysilane	1 - <3%	17689-77-9	241-677-4	No data available.	No data available.	
Methyltriacetoxysilane	1 - <3%	4253-34-3	224-221-9	01-2119962266-32-0000	No data available.	
Dodecamethylcyclohexasiloxane	0,1 - <1%	540-97-6	208-762-8	01-2119517435-42-0001	No data available.	vPvB
Decamethylcyclopentasiloxane	0,1 - <1%	541-02-6	208-764-9	01-2119511367-43-0002	No data available.	vPvB

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Classification	Notes
ethyltriacetoxysilane	Skin Corr.: 1B: H314; Acute Tox.: 4: H302; Eye Dam.: 1: H318;	No data available.
Methyltriacetoxysilane	Acute Tox.: 4: H302; Skin Corr.: 1C: H314; Eye Dam.: 1: H318;	No data available.
Dodecamethylcyclohexasiloxane	No data available.	
Decamethylcyclopentasiloxane	No data available.	

CLP: Regulation No. 1272/2008.

SECTION 4: First aid measures

General: Get medical attention if symptoms occur.

4.1 Description of first aid measures

Inhalation: Move to fresh air. Get medical attention if any discomfort continues.

Industrial Silicone 5628E

Eye contact:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact:	After contact with skin, remove product mechanically. Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
Ingestion:	Rinse mouth. Do not induce vomiting. Consult a physician for specific advice.
4.2 Most important symptoms and effects, both acute and delayed:	No data available.
4.3 Indication of any immediate medical attention and special treatment needed	
Hazards:	No data available.
Treatment:	Treatment is symptomatic and supportive.

SECTION 5: Firefighting measures

General Fire Hazards:	Use standard firefighting procedures and consider the hazards of other involved materials. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.
5.1 Extinguishing media	
Suitable extinguishing media:	All standard extinguishing agents are suitable.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
5.2 Special hazards arising from the substance or mixture:	In case of fire, carbon monoxide and carbon dioxide may be formed. Use water spray to keep fire-exposed containers cool.
5.3 Advice for firefighters	
Special fire fighting procedures:	Keep away from sources of ignition - No smoking. Static discharge: material can accumulate static charges which may cause an incendiary electrical discharge.
Special protective equipment for fire-fighters:	Wear self-contained breathing apparatus and protective clothing. Use water spray to keep fire-exposed containers cool.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment. Wash skin thoroughly with soap and water. Keep container tightly closed and in a well-ventilated place. See Section 8 of the SDS for Personal Protective Equipment. Avoid contact with skin and eyes.
6.2 Environmental Precautions:	Do not allow runoff to sewer, waterway or ground.
6.3 Methods and material for containment and cleaning up:	Shovel up and place in a container for salvage or disposal. Caution: Contaminated surfaces may be slippery.
6.4 Reference to other sections:	Prevent runoff from entering drains, sewers, or streams. Caution: Contaminated surfaces may be slippery.

Industrial Silicone 5628E

SECTION 7: Handling and storage:

- 7.1 Precautions for safe handling:** Acetic acid is formed during processing. Wear appropriate personal protective equipment. Product may charge electrostatically during pouring or filling. Use only in well-ventilated areas. Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Keep containers tightly closed.
- Storage conditions:** Keep away from sources of ignition - No smoking. Store in original container.
- 7.2 Conditions for safe storage, including any incompatibilities:** Keep away from food, drink and animal feeding stuffs. Keep container tightly closed and in a well-ventilated place.
- Storage Stability:** Material is stable under normal conditions.
- 7.3 Specific end use(s):** No data available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control Parameters**
Occupational Exposure Limits None of the components have assigned exposure limits.
- Biological Limit Values** None.
- 8.2 Exposure controls**
Appropriate Engineering Controls: Eyewash bottle with clean water. Use only in well-ventilated areas. Observe good industrial hygiene practices.
- Individual protection measures, such as personal protective equipment**
- General information:** Eyewash bottle with clean water. Use only in well-ventilated areas. When using do not eat, drink or smoke. Wash hands after handling.
- Eye/face protection:** Safety glasses with side-shields conforming to EN166
- Skin protection**
Hand Protection: Advice: This recommendation is valid only for our Product as delivered. If this product will be mixed with other substances you need to contact a supplier of CE approved protective gloves (e.g. KCL GmbH, D-36124 Eichenzell, Tel. 0049 (0) 6659 87300, Fax. 0049 (0) 6659 87155, email: vertrieb@kcl.de).
Material: 730 Camatril
Minimum break through time: 480 min
Glove thickness: 0,4 mm
Guideline: EN 374
- Other:** No data available.
- Respiratory Protection:** Respirator with a vapour filter (EN 141) If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Respiratory protection mask with Filtertype ABEK

Industrial Silicone 5628E

Hygiene measures: Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation, especially in confined areas. Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke.

Environmental exposure controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	solid
Form:	Paste
Color:	Colorless
Odor:	Acetic acid.
Odor Threshold:	No data available.
pH:	No data available.
Melting Point:	No data available.
Boiling Point:	No data available.
Flash Point:	> 93 °C (estimated)
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability Limit - Upper (%):	No data available.
Flammability Limit - Lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density (air=1):	No data available.
Density:	ca. 1,099 g/cm ³ (20 °C)
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	No data available.
Solubility (other):	Insoluble
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Autoignition Temperature:	No data available.
Decomposition Temperature:	Material is stable under normal conditions.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	No data available.
10.2 Chemical Stability:	Material is stable under normal conditions.
10.3 Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous polymerization will not occur.
10.4 Conditions to avoid:	Reacts with water liberating small amounts of acetic acid.
10.5 Incompatible Materials:	Strong Acids, Strong Bases

Industrial Silicone 5628E

10.6 Hazardous Decomposition Products: Carbon oxides Oxides of silicon. Acetic acid. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

SECTION 11: Toxicological information

General information: Our Experience shows that our Silicone Elastomer products can be handled without risk to health if used properly and if the usual precautions for industrial hygiene are observed.

Information on likely routes of exposure

- Inhalation:** No data available.
- Ingestion:** No data available.
- Skin Contact:** No data available.
- Eye contact:** No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

- Product:** ATEmix: 18.902,44 mg/kg
- Specified substance(s)**
- ethyltriacetoxysilane LD 50 (Rat): 2.415 mg/kg
- Methyltriacetoxysilane LD 50 (Rat): 1.830 mg/kg
LD 50 (Rat): 1.550 mg/kg
- Dodecamethylcyclohexasiloxane LD 50 (Rat): 2.000 mg/kg
- Decamethylcyclopentasiloxane No data available.

Dermal

- Product:** Not classified for acute toxicity based on available data.
- Specified substance(s)**
- ethyltriacetoxysilane No data available.
- Methyltriacetoxysilane No data available.
- Dodecamethylcyclohexasiloxane LD 50 (Rat): 2.000 mg/kg
- Decamethylcyclopentasiloxane LD 50 (Rabbit): > 2.000 mg/kg

Inhalation

- Product:** Not classified for acute toxicity based on available data.
- Specified substance(s)**
- ethyltriacetoxysilane No data available.
- Methyltriacetoxysilane No data available.
- Dodecamethylcyclohexasiloxane No data available.
- Decamethylcyclopentasiloxane LC50 (Rat, 4 h): 8,67 mg/l

Repeated dose toxicity

- Product:** No data available.

Industrial Silicone 5628E

Specified substance(s)	
ethyltriacetoxysilane	No data available.
Methyltriacetoxysilane	No data available.
Dodecamethylcyclohexasiloxane	NOAEL (Rat(male and female), Oral): 1.000 mg/kg
Decamethylcyclopentasiloxane	NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm
Skin Corrosion/Irritation:	Irritating.
Product:	OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Irritating to skin. The health hazard evaluation is based on the toxicological properties of a similar material.
Specified substance(s)	
ethyltriacetoxysilane	No data available. (Rabbit): Corrosive
Methyltriacetoxysilane	OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit): Corrosive
Dodecamethylcyclohexasiloxane	OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation
Decamethylcyclopentasiloxane	OECD Test Guideline 404 (Rabbit, 72 h): Non irritating
Serious Eye Damage/Eye Irritation:	Not irritating
Product:	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Slightly irritating. The health hazard evaluation is based on the toxicological properties of a similar material.
Specified substance(s)	
ethyltriacetoxysilane	No data available. (Rabbit): Irritating to eyes.
Methyltriacetoxysilane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Corrosive
Dodecamethylcyclohexasiloxane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No eye irritation Not irritating
Decamethylcyclopentasiloxane	OECD Test Guideline 405 (Rabbit, 72 h): Non irritating
Respiratory or Skin Sensitization:	
Product:	No data available.
Specified substance(s)	
ethyltriacetoxysilane	No data available.
Methyltriacetoxysilane	No data available.
Dodecamethylcyclohexasiloxane	Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): negative
Decamethylcyclopentasiloxane	LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA) (Mouse): Non sensitizing.
Germ Cell Mutagenicity	
In vitro	
Product:	No data available.
Specified substance(s)	
ethyltriacetoxysilane	No data available.
Methyltriacetoxysilane	No data available.
Dodecamethylcyclohexasiloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative

Industrial Silicone 5628E

Decamethylcyclopentasiloxane
 Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)
 Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guideline 476)): negative (not mutagenic)
 Chromosomal aberration (OECD 473): negative (not mutagenic)

In vivo

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.
 Methyltriacetoxysilane No data available.
 Dodecamethylcyclohexasiloxane OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal (Mouse, male and female): negative
 Decamethylcyclopentasiloxane (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor.

Carcinogenicity

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.
 Methyltriacetoxysilane No data available.
 Dodecamethylcyclohexasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.
 Methyltriacetoxysilane No data available.
 Dodecamethylcyclohexasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.
 Methyltriacetoxysilane No data available.
 Dodecamethylcyclohexasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.
 Methyltriacetoxysilane No data available.
 Dodecamethylcyclohexasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.

Industrial Silicone 5628E

Aspiration Hazard

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.
 Methyltriacetoxysilane No data available.
 Dodecamethylcyclohexas
 iloxane No data available.
 Decamethylcyclopentasil
 oxane No data available.

Other effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.
 Methyltriacetoxysilane No data available.
 Dodecamethylcyclohexas
 iloxane No data available.
 Decamethylcyclopentasil
 oxane LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.
 Methyltriacetoxysilane No data available.
 Dodecamethylcyclohexas
 iloxane No data available.
 Decamethylcyclopentasil
 oxane EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.
 Methyltriacetoxysilane No data available.
 Dodecamethylcyclohexas
 iloxane NOEC (Pimephales promelas, 49 d): 0,0044 mg/l
 Decamethylcyclopentasil
 oxane NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline 210)
 LOEC (Oncorhynchus mykiss, 90 d): > 0,0014 mg/l (OECD-Guideline 210)

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane No data available.

Industrial Silicone 5628E

Methyltriacetoxysilane	No data available.
Dodecamethylcyclohexasiloxane	NOEC (Daphnia magna, 21 d): 0,0046 mg/l EC50 (Sediment Invertebrate, 28 d): > 420 mg/l LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l
Decamethylcyclopentasiloxane	NOEC (Daphnia magna, 21 d): >= 0,0015 mg/l (OECD-Guideline 211) LOEC (Daphnia magna, 21 d): > 0,0015 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane	No data available.
Methyltriacetoxysilane	No data available.
Dodecamethylcyclohexasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l (OECD Test Guideline 201) NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l (OECD Test Guideline 201)
Decamethylcyclopentasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l (OECD Test Guideline 201) NOEC : >= 0,0012 mg/l EC10 : > 0,0012 mg/l

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane	No data available.
Methyltriacetoxysilane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Decamethylcyclopentasiloxane	activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310): 0,14 % The product is not readily biodegradable.

BOD/COD Ratio

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane	No data available.
Methyltriacetoxysilane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Decamethylcyclopentasiloxane	No data available.

12.3 Bioaccumulative potential

Product: No data available.

Specified substance(s)

ethyltriacetoxysilane	No data available.
Methyltriacetoxysilane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Decamethylcyclopentasiloxane	Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test Guideline 305)

12.4 Mobility in soil:

No data available.

Known or predicted distribution to environmental compartments

ethyltriacetoxysilane	No data available.
Methyltriacetoxysilane	No data available.

Industrial Silicone 5628E

Dodecamethylcyclohexasiloxane No data available.
 Decamethylcyclopentasiloxane No data available.

12.5 Results of PBT and vPvB assessment:

ethyltriacetoxysilane	No data available.	
Methyltriacetoxysilane	No data available.	
Dodecamethylcyclohexasiloxane	vPvB: very persistent and very bioaccumulative substance.	Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms</i>
Decamethylcyclopentasiloxane	vPvB: very persistent and very bioaccumulative substance.	Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i>

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever possible. See Section 8 for information on appropriate personal protective equipment. Do not discharge into drains, water courses or onto the ground.

Disposal methods: Can be incinerated when in compliance with local regulations.

SECTION 14: Transport information

ADR

Not regulated.

Industrial Silicone 5628E

Not regulated.

RID

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

14.6 Special precautions for user: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods. Protect from moisture. Keep away from food, foodstuff, acids and bases. keep away from odour sensitive materials

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,1700%
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,1000%

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: none

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.: none

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous

Industrial Silicone 5628E

substances: none

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:
 none

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:
 none

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

Inventory Status

Australia AICS:	y (positive listing)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada DSL Inventory List:	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: On TSCA Inventory
Taiwan Chemical Substance Inventory:	y (positive listing)	Remarks: None.
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

SECTION 16: Other information

Revision Information: Not relevant.

Key literature references and sources for data: No data available.

Wording of the H-statements in section 2 and 3

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.

Training information: No data available.

Classification according to Regulation (EC) No 1272/2008 as amended.

Skin Corr. 2, H315

Issue Date: 12.03.2020

Industrial Silicone 5628E

Disclaimer: