

Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: TSE 399C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer

Uses advised against: For industrial use only.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials GmbH Chempark Leverkusen Gebaeude V7

DE - 51368 Leverkusen

Germany

Contact person : MomentiveEMEA.productsteward@momentive.com

Telephone : General information

00800.4321.1000 (Customer Service Centre)

1.4

Emergency telephone

number

Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44

(0) 1235239671

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Serious eye irritation Category 2 H319: Causes serious eye irritation.

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H319: Causes serious eye irritation.

Precautionary Statements

Prevention: P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.

Response: P337+P313: If eye irritation persists: Get medical advice/attention.



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

Supplemental label information

Contains: gamma-AminopropyltriethoxysilaneDibutyltin Dilaurate May produce an allergic reaction.

Unknown toxicity - Health

Acute toxicity, oral 0 %
Acute toxicity, dermal 0 %
Acute toxicity, inhalation, vapor 0 %
Acute toxicity, inhalation, dust 0 %

or mist

Additional Information: No data available.

2.3 Other hazards No data available.

SECTION 3: Composition/information on ingredients

Chemical nature: Mixture of polydimethylsiloxanes, fillers and cross-linkers.

3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
CYCLOPENT	1 - <3%	134759-20-9		No data	No data	
YLSILAZANE-				available.	available.	
AMINOSILOX						
ANE						
COPOLYMER						
, METHOXY						
TERMINATED						
gamma-	0,1 - <1%	919-30-2	213-048-4	01-	No data	
Aminopropyltri				2119480479-	available.	
ethoxysilane				24-0002		
Dibutyltin	0,1 - <0,25%	77-58-7	201-039-8	01-	1	#
Dilaurate				2119496068-		
				27-0001		

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

Classification

Chemical name	Classification	Notes
CYCLOPENTYLSILAZAN	Eye Dam.: 1: H318; Skin Corr.: 2: H315;	
E-AMINOSILOXANE	tooboul oo	

^{##} This substance has workplace exposure limit(s).

vPvB: very persistent and very bioaccumulative substance.



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

COPOLYMER, METHOXY		
TERMINATED		
gamma-	Skin Sens.: 1: H317; Acute Tox.: 4: H302; Skin Corr.: 1B:	No data
Aminopropyltriethoxysilane	H314; Eye Dam.: 1: H318;	available.
Dibutyltin Dilaurate	STOT SE: 1: H370; Repr.: 1B: H360FD; Skin Corr.: 1C: H314;	No data
	Muta.: 2: H341; Skin Sens.: 1: H317; Eye Dam.: 1: H318;	available.
	Muta.: 2: H341; Repr.: 1B: H360FD; STOT RE: 1: H372;	No data
	Aquatic Chronic: 1: H410; Aquatic Acute: 1: H400;	available.

CLP: Regulation No. 1272/2008.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Move to fresh air.

Eye contact: Rinse the eye with water immediately. If eye irritation persists: Get medical

advice/attention.

Skin Contact: After contact with skin, remove product mechanically. Wash area with soap

and water.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Rinse mouth.

Consult a physician for specific advice.

4.2 Most important symptoms and effects, both acute and

delayed:

Product may hydrolyse upon contact with body fluids in the gastrointestinal

tract to produce additional methanol; therefore, consider the

signs/symptoms of methanol poisoning and also observe the known latency

period of several days!

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

Treatment: If swallowed, do NOT induce vomiting. Give a glass of water. If swallowed,

rinse mouth with water (only if the person is conscious). Product may hydrolyze upon contact with body fluids in the gastrointestinal tract to produce additional methanol. The potential for toxic effects due to methanol formation (eye damage and blindness, metabolic acidosis,

dizziness and drowsiness, fetal toxicity, and liver, kidney, and heart muscle

damage) should be recognized.

SECTION 5: Firefighting measures

General Fire Hazards: Prevent runoff from fire control or dilution from entering streams, sewers, or

drinking water supply.

5.1 Extinguishing media

Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or

In case of fire, carbon monoxide and carbon dioxide may be formed.

mixture:
SDS_GB // TECS CO 3/15



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

5.3 Advice for firefighters Special fire fighting

procedures:

Product may charge electrostatically during pouring or filling. Take

precautionary measures against static discharges. Keep away from sources

of ignition - No smoking.

Special protective equipment for fire-fighters:

Use standard firefighting procedures and consider the hazards of other

involved materials. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Provide adequate ventilation. Use personal protective equipment. Keep

container tightly closed and in a well-ventilated place. Caution:

Contaminated surfaces may be slippery.

6.2 Environmental Precautions: Prevent runoff from entering drains, sewers, or streams.

6.3 Methods and material for containment and cleaning

up:

Use mechanical handling equipment. Shovel up and place in a container for

salvage or disposal.

6.4 Reference to other

sections:

Remove sources of ignition.

SECTION 7: Handling and storage:

7.1 Precautions for safe

handling:

Methanol is formed during processing. Wear appropriate personal

protective equipment.

Storage conditions: Keep away from sources of ignition - No smoking. Store in original

container.

7.2 Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed in a cool, well-ventilated place.

Storage Stability: Material is stable under normal conditions.

7.3 Specific end use(s): No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

ccupational Exposure Limits				
Chemical name	Туре	Exposure Limit Values	Source	
Silica - Inhalable dust.	TWA	6 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)	
Silica - Respirable dust.	TWA	2,4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)	
Dibutyltin Dilaurate - as Sn	TWA	0,1 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)	
	STEL	0,2 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)	

Biological Limit Values

None.

DNEL-Values

Critical component	Туре	Route of Exposure		Remarks
Dibutyltin Dilaurate	Workers	Dermal	1 mg/kg bw/day	

SDS_GB 4/15



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TOF	2	a	\sim
12-	-55	14	ι.

	Inhalation	0,07 mg/m3	
	Dermal	0,2 mg/kg bw/day	
	Inhalation	0,01 mg/m3	
Consun	ners Dermal	0,5 mg/kg bw/day	
	Inhalation	0,02 mg/m3	
	Ingestion	0,01 mg/kg bw/day	
	Dermal	0,08 mg/kg bw/day	
	Inhalation	0,003 mg/m3	
	Ingestion	0,002 mg/kg bw/day	

PNEC-Values

Critical component	Environmental compartment		Remarks
Dibutyltin Dilaurate	Water	0,463 μg/l	
•	Seawater	0,0463 μg/l	
	Intermittent release.	4,63 µg/l	
	freshwater sediment	0,05 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	Saltwater Sediment	0,005 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	soil	0,0407 mg/kg	
	Sewage treatment plant	100 mg/l	
	Oral	0,2 mg/kg	

8.2 Exposure controls

Appropriate Engineering

Controls:

Eye wash facilities and emergency shower must be available when handling this product. Observe good industrial hygiene practices.

Individual protection measures, such as personal protective equipment

General information: Wear suitable gloves and eye/face protection.

Eye/face protection: Safety glasses with side-shields conforming to EN166

Skin protection

Hand Protection: Advice: This recommendation is valid only for our Product as delivered. If

this product will be mixed with other substances you need to contact a supplier of CE approved protective gloves (e.g. KCL GmbH, D-36124 Eichenzell, Tel. 0049 (0) 6659 87300, Fax. 0049 (0) 6659 87155, email:

vertrieb@kcl.de). Material: 730 Camatril Glove thickness: 0,7 mm

Other: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protection mask with Filtertype ABEK

Hygiene measures: Avoid contact with eyes, skin, and clothing. Wash hands after handling.

When using do not eat or drink.

Environmental exposure

controls:

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

Physical state: liquid
Form: Paste
Color: Colorless
Odor: Faint

Odor Threshold:No data available.pH:No data available.Freezing point:No data available.Boiling Point:No data available.

Flash Point: 198 °C

Evaporation Rate: No data available. Flammability (solid, gas): No data available. Flammability Limit - Upper (%): No data available. Flammability Limit - Lower (%): No data available. Vapor pressure: No data available. Vapor density (air=1): No data available. Density: ca. 1,04 g/cm3 Relative density: No data available.

Solubility(ies)

Solubility in Water: Insoluble

Solubility (other): No data available.

Partition coefficient (n-octanol/water) Log No data available.

Pow:

Autoignition Temperature: > 450 °C

Decomposition Temperature: No decomposition if stored and applied as directed.

SADT:

Viscosity, dynamic:

No data available.

No data available.

Viscosity, kinematic:

> 20,5 mm2/s (40 °C)

Explosive properties:

No data available.

Oxidizing properties: No data available.

9.2 Other information

Minimum ignition temperature: 450 °C

SECTION 10: Stability and reactivity

10.1 Reactivity: Material is stable under normal conditions.

10.2 Chemical Stability: Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Hazardous polymerisation does not occur. Avoid contact with: Moisture.

10.4 Conditions to avoid: Keep away from heat, sparks and open flame.

10.5 Incompatible Materials: Moisture. Strong Acids, Strong Bases

10.6 Hazardous Decomposition

Products:

Carbon oxides Oxides of silicon. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of

formaldehyde are formed due to oxidative degradation.

SECTION 11: Toxicological information

General information: In serious cases absorption of methanol in the body may lead to damage to the eyesight.

SDS_GB 6/15



sil co.

Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eve contact: No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data.

LD 50 (Rat): 4.666 mg/kg

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

LD 50 (Rat): 2.830 mg/kg gamma-Aminopropyltriethoxysilan

LD 50 (Rat): 1.570 mg/kg

Dibutyltin Dilaurate LD 50 (Rat): 2.071 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

CYCLOPENTYLSILAZ No data available.

ANE-

AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

gamma-

Aminopropyltriethoxysil

Dibutyltin Dilaurate LD 50 (Rat): > 2.000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

LD 50 (Rabbit): 4.290 mg/kg

Specified substance(s)

CYCLOPENTYLSILAZA No data available.

NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

gamma-LC50 (Rat, 6 h): Aminopropyltriethoxysilan LC50 (Rat, 6 h):

Dibutyltin Dilaurate No data available.

Repeated dose toxicity

Product: No data available.

Specified substance(s)

No data available. CYCLOPENTYLSILAZA

SDS_GB



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

NE-AMINOSILOXANE

COPOLYMER, METHOXY TERMINATED

gamma- NOAEL (Rat, Oral, 90 d): 200 mg/kg Aminopropyltriethoxysilan LOAEL (Rat, Oral, 90 d): 600 mg/kg

е

Dibutyltin Dilaurate

NOAEL (Rat(male and female), Oral, 28 d): 0,3 - 0,4 mg/l

NOAEL (Rat(males), Oral, 28 d): 1,9 - 2,3 mg/l NOAEL (Rat(female), Oral, 28 d): 1,7 - 2,3 mg/l

Skin Corrosion/Irritation:

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZ Draize (Rabbit, 4 h): Slightly irritating.

ANE-

AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 4 h):

Aminopropyltriethoxysil Corrosive

ane

Dibutyltin Dilaurate (Rabbit): Severe skin irritation.

Serious Eye Damage/Eye

Irritation:

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZ Draize (Rabbit, 24 h): Corrosive Risk of serious damage to eyes.

ANE-

AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h):

Aminopropyltriethoxysil

ane

Dibutyltin Dilaurate OECD Test Guideline 405 (Rabbit, 21 d): Strongly irritating. Irritating to

eyes.

Strongly irritating.

Respiratory or Skin

Sensitization:

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZ No data available.

ANE-

AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- (Guinea Pig)positive

Aminopropyltriethoxysil

ane

Dibutyltin Dilaurate Maximisation Test, OECD Test Guideline 406 (Guinea Pig): Sensitizer

Germ Cell Mutagenicity

In vitro SDS_GB 8/15



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- Ames-Test: negative

Aminopropyltriethoxysilan Chinese Hamster Ovary (CHO): negative

Chromosomal aberration: negative

Dibutyltin Dilaurate Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella

typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mammalian cytogenicity test (OECD 476): negative

In vivo

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Oral

(Mouse)positive The health hazard evaluation is based on the toxicological

properties of a similar material.

Carcinogenicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate No data available.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED

gamma- No data available.

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate No data available.

Other effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA No data available.

NE-AMINOSILOXANE COPOLYMER,

METHOXY TERMINATED

gamma- LC50 (Brachydanio rerio, 96 h): > 934 mg/l (OECD Test Guideline 203)

Aminopropyltriethoxysilan

е

Dibutyltin Dilaurate No data available.

SDS_GB 10/15



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate EC50 (Daphnia magna, 48 h): < 0,463 mg/l (OECD Test Guideline 202)

EC50 (Daphnia magna, 48 h): 331 mg/l (OECD-Guideline 202)

Fresh water

No data available.

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate No data available.

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate No data available.

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA

NE-AMINOSILOXANE

COPOLYMER, **METHOXY TERMINATED**

gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate

No data available.

EC50 (Desmodesmus subspicatus (green algae), 72 h): > 1.000 mg/l NOEC (Desmodesmus subspicatus (green algae), 72 h): 1,3 mg/l

EC50 (Desmodesmus subspicatus (green algae), 72 h): > 1 mg/l (OECD Test Guideline 201) Fresh water

12.2 Persistence and Degradability



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

Biodegradation

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN

No data available.

E-AMINOSILOXANE COPOLYMER. **METHOXY TERMINATED**

gamma-

(28 d): 67 % Not readily degradable. hydrolyses

Aminopropyltriethoxysilan

Dibutyltin Dilaurate Biological degradability (39 d): 23 % The product is not readily

biodegradable.

BOD/COD Ratio

Product No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

No data available. gamma-

Aminopropyltriethoxysilan

Dibutyltin Dilaurate No data available.

12.3 Bioaccumulative potential

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.

E-AMINOSILOXANE COPOLYMER, **METHOXY TERMINATED**

gamma-Cyprinus carpio, Bioconcentration Factor (BCF): 3,4 (Measured) The

Aminopropyltriethoxysilan product is not bioaccumulating.

Dibutyltin Dilaurate The product is not bioaccumulating.

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments No data available.

CYCLOPENTYLSILAZANE

-AMINOSILOXANE

COPOLYMER, METHOXY

TERMINATED

gamma-No data available.

Aminopropyltriethoxysilane

Dibutyltin Dilaurate No data available.

12.5 Results of PBT and vPvB

assessment:

-AMINOSILOXANE

COPOLYMER, METHOXY

CYCLOPENTYLSILAZANE

TERMINATED

No data available. No data available.

v.techsil.co



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

gamma- Not fulfilling PBT

Aminopropyltriethoxysilane (persistent/bioaccumulative/toxic) criteria,

Not fulfilling vPvB (very persistent/very

bioaccummulative) criteria

Dibutyltin Dilaurate No data available.

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

Disposal methods: Can be incinerated when in compliance with local regulations.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

14.6 Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods. Protect from moisture. Keep away from food, foodstuff, acids and bases. keep away from odour sensitive

materials

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

SDS GB



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: none

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.: none

Directive 96/82/EC (Seveso III): on the control of major accident hazards involving dangerous substances: none

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
gamma-Aminopropyltriethoxysilane	919-30-2	0,1 - 1,0%

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

Inventory Status

Australia AICS: y (positive listing) Remarks: None.
Canada DSL Inventory List: q (quantity restricted) Remarks: None.
EU EINECS List: y (positive listing) Remarks: None.
Japan (ENCS) List: y (positive listing) Remarks: None.
China Inventory of Existing y (positive listing) Remarks: None.

Chemical Substances:

Korea Existing Chemicals Inv. y (positive listing) Remarks: None.

(KECI):

Canada NDSL Inventory: n (Negative listing) Remarks: None. Philippines PICCS: y (positive listing) Remarks: None.

US TSCA Inventory: y (positive listing) Remarks: On TSCA Inventory

New Zealand Inventory of n (Negative listing) Remarks: None.

Chemicals:

Taiwan. Taiwan inventory y (positive listing) Remarks: None.

(CSNN):

SECTION 16: Other information

Revision Information: Not relevant.

Key literature references and No data available.

sources for data: SDS_GB

ECOS 14/



Last revised date: 12.02.2018 Supersedes Date: 23.06.2016

TSE 399C

Wording of the H-statements in section 2 and 3

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
Supported of sourcing genetic descriptions.

H341 Suspected of causing genetic defects.

H360FD May damage fertility. May damage the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs <or state all organs affected, if

known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure

cause the hazard>.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training information: No data available.

Classification according to Regulation (EC) No 1272/2008 as amended.

Eve Dam. 2, H319

Issue Date: 12.02.2018 Disclaimer:

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®,*, and TM indicate trademarks owned by or licensed to Momentive.