

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: TSE392-W-18K

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer

Uses advised against: For industrial use only.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distributor Information : Momentive Performance Materials GmbH
Chempark Leverkusen Gebaeude V7
DE - 51368 Leverkusen
Germany

Contact person : commercial.services@momentive.com

Telephone : General information
00800.4321.1000 (Customer Service Centre)

1.4

Emergency telephone number : Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44 (0) 1235239671

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Serious eye irritation	Category 2	H319: Causes serious eye irritation.
------------------------	------------	--------------------------------------

Environmental Hazards

Chronic hazards to the aquatic environment	Category 3	H412: Harmful to aquatic life with long lasting effects.
--------------------------------------------	------------	----------------------------------------------------------

2.2 Label Elements



Signal Words: Warning

Hazard Statement(s): H319: Causes serious eye irritation.
H412: Harmful to aquatic life with long lasting effects.

TSE392-W-18K

Precautionary Statements

Prevention: P264: Wash thoroughly after handling.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response: P337+P313: If eye irritation persists: Get medical advice/attention.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Supplemental label information

EUH208: Contains (gamma-Aminopropyltriethoxysilane, Dibutyltin Dilaurate). May produce an allergic reaction.

Unknown toxicity - Health

Acute toxicity, inhalation, vapor 0 %
 Acute toxicity, inhalation, dust or mist 0 %

Unknown toxicity - Environment

Acute hazards to the aquatic environment 0 %
 Chronic hazards to the aquatic environment 0 %

Additional Information: No data available.

2.3 Other hazards No data available.

SECTION 3: Composition/information on ingredients

Chemical nature: Mixture of polydimethylsiloxanes, fillers and cross-linkers.

3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	1 - <3%	134759-20-9	638-885-6	Polymer	No data available.	
TITANIUM DIOXIDE	0,1 - <1%	13463-67-7	236-675-5	01-2119489379-17-XXXX	No data available.	#
gamma-	0,1 - <1%	919-30-2	213-048-4	01-	No data	

TSE392-W-18K

Aminopropyltriethoxysilane				2119480479-24-XXXX	available.	
Dibutyltin Dilaurate	0,1 - <0,3%	77-58-7	201-039-8	01-2119496068-27-XXXX	1	#
Decamethylcyclopentasiloxane	0,1 - <1%	541-02-6	208-764-9	01-2119511367-43-0002	No data available.	vPvB
Dodecamethylcyclohexasiloxane	0,1 - <1%	540-97-6	208-762-8	01-2119517435-42-0001	No data available.	vPvB

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Classification	Notes
CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	Eye Dam.: 1: H318; Skin Corr.: 2: H315;	
TITANIUM DIOXIDE	No data available.	
gamma-Aminopropyltriethoxysilane	Skin Sens.: 1: H317; Acute Tox.: 4: H302; Skin Corr.: 1B: H314; Eye Dam.: 1: H318;	No data available.
Dibutyltin Dilaurate	Eye Dam.: 1: H318; Skin Sens.: 1: H317; Muta.: 2: H341; Skin Corr.: 1C: H314; Repr.: 1B: H360FD; STOT SE: 1: H370; STOT RE: 1: H372; Aquatic Chronic: 1: H410; Aquatic Acute: 1: H400;	No data available. No data available.
Decamethylcyclopentasiloxane	No data available.	
Dodecamethylcyclohexasiloxane	No data available.	

CLP: Regulation No. 1272/2008.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Move into fresh air and keep at rest. Get medical attention if symptoms occur.

Eye contact: Rinse the eye with water immediately. If eye irritation persists: Get medical advice/attention.

Skin Contact: After contact with skin, remove product mechanically. Wash area with soap and water.

Ingestion: If swallowed, do NOT induce vomiting. Give a glass of water. Rinse mouth. Consult a physician for specific advice.

4.2 Most important symptoms and effects, both acute and delayed:

Product may hydrolyse upon contact with body fluids in the gastrointestinal tract to produce additional methanol; therefore, consider the signs/symptoms of methanol poisoning and also observe the known latency period of several days!

4.3 Indication of any immediate medical attention and special treatment needed

SDS_GB

TSE392-W-18K

Hazards:	No data available.
Treatment:	If swallowed, do NOT induce vomiting. Give a glass of water. If swallowed, rinse mouth with water (only if the person is conscious). Product may hydrolyze upon contact with body fluids in the gastrointestinal tract to produce additional methanol. The potential for toxic effects due to methanol formation (eye damage and blindness, metabolic acidosis, dizziness and drowsiness, fetal toxicity, and liver, kidney, and heart muscle damage) should be recognized.

SECTION 5: Firefighting measures

General Fire Hazards:	Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.
5.1 Extinguishing media Suitable extinguishing media:	All standard extinguishing agents are suitable.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
5.2 Special hazards arising from the substance or mixture:	Reacts with water liberating small amounts of methanol. In case of fire, carbon monoxide and carbon dioxide may be formed. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.
5.3 Advice for firefighters Special fire fighting procedures:	Product may charge electrostatically during pouring or filling. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.
Special protective equipment for fire-fighters:	Use standard firefighting procedures and consider the hazards of other involved materials. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:	Provide adequate ventilation. Use personal protective equipment. Keep container tightly closed and in a well-ventilated place. Caution: Contaminated surfaces may be slippery.
6.2 Environmental Precautions:	Prevent runoff from entering drains, sewers, or streams.
6.3 Methods and material for containment and cleaning up:	Use mechanical handling equipment. Shovel up and place in a container for salvage or disposal.
6.4 Reference to other sections:	Remove sources of ignition.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:	Methanol is formed during processing. Wear appropriate personal protective equipment.
Storage conditions:	Keep away from sources of ignition - No smoking. Store in original container.

TSE392-W-18K

7.2 Conditions for safe storage, including any incompatibilities: Keep container tightly closed in a cool, well-ventilated place.

Storage Stability: Material is stable under normal conditions.

7.3 Specific end use(s): No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Type	Exposure Limit Values	Source
TITANIUM DIOXIDE - Inhalable	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
TITANIUM DIOXIDE - Respirable.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Dibutyltin Dilaurate - as Sn	TWA	0,1 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
	STEL	0,2 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)

Biological Limit Values

None.

DNEL-Values

Critical component	Type	Route of Exposure		Remarks
Dibutyltin Dilaurate	Workers	Dermal	1 mg/kg bw/day	
		Inhalation	0,07 mg/m3	
	Consumers	Dermal	0,2 mg/kg bw/day	
		Inhalation	0,01 mg/m3	
	Consumers	Dermal	0,5 mg/kg bw/day	
		Inhalation	0,02 mg/m3	
		Ingestion	0,01 mg/kg bw/day	
		Dermal	0,08 mg/kg bw/day	
		Inhalation	0,003 mg/m3	
		Ingestion	0,002 mg/kg bw/day	

PNEC-Values

Critical component	Environmental compartment		Remarks
Dibutyltin Dilaurate	Water	0,463 µg/l	
	Seawater	0,0463 µg/l	
	Intermittent release	4,63 µg/l	
	freshwater sediment	0,05 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	Saltwater Sediment	0,005 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	soil	0,0407 mg/kg	
	Sewage treatment plant	100 mg/l	
	Oral	0,2 mg/kg	

8.2 Exposure controls

Appropriate Engineering Controls: Eye wash facilities and emergency shower must be available when handling this product. Observe good industrial hygiene practices.

Individual protection measures, such as personal protective equipment

General information: Wear suitable gloves and eye/face protection.

TSE392-W-18K

Eye/face protection:	Safety glasses with side-shields conforming to EN166
Skin protection	
Hand Protection:	Advice: This recommendation is valid only for our Product as delivered. If this product will be mixed with other substances you need to contact a supplier of CE approved protective gloves (e.g. KCL GmbH, D-36124 Eichenzell, Tel. 0049 (0) 6659 87300, Fax. 0049 (0) 6659 87155, email: vertrieb@kcl.de). Material: 730 Camatril Glove thickness: 0,4 mm Guideline: EN 374
Other:	Wear suitable protective clothing and eye/face protection. Wear suitable protective clothing.
Respiratory Protection:	In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection mask with Filterttype ABEK
Hygiene measures:	Avoid contact with eyes, skin, and clothing. Wash hands after handling. When using do not eat or drink.
Environmental exposure controls:	No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	liquid
Form:	Paste
Color:	White
Odor:	Faint
Odor Threshold:	No data available.
pH:	No data available.
Freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	144 °C
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability Limit - Upper (%):	No data available.
Flammability Limit - Lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density (air=1):	No data available.
Density:	> 1 g/cm ³
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	Insoluble
Solubility (other):	Insoluble
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Autoignition Temperature:	No data available.
Decomposition Temperature:	No decomposition if stored and applied as directed.
SADT:	No data available.
Viscosity, dynamic:	No data available.

TSE392-W-18K

Viscosity, kinematic:	> 20,5 mm ² /s (40 °C)
Explosive properties:	No data available.
Oxidizing properties:	No data available.

9.2 Other information
 No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	Material is stable under normal conditions.
10.2 Chemical Stability:	Material is stable under normal conditions.
10.3 Possibility of hazardous reactions:	Hazardous polymerization does not occur. Avoid contact with: Moisture.
10.4 Conditions to avoid:	Keep away from heat, sparks and open flame.
10.5 Incompatible Materials:	Moisture. Strong Acids, Strong Bases
10.6 Hazardous Decomposition Products:	Carbon oxides Oxides of silicon. Generates methanol during cure. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

SECTION 11: Toxicological information

General information: In serious cases absorption of methanol in the body may lead to damage to the eyesight.

Information on likely routes of exposure

Inhalation:	No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product:	LD 50 (Rat): 4.800 mg/kg (OECD-Guideline 401 (Acute Oral Toxicity))
Specified substance(s)	
CYCLOPENTYLSILAZA	LD 50 (Rat): 4.666 mg/kg
NE-AMINOSILOXANE	
COPOLYMER,	
METHOXY	
TERMINATED	
TITANIUM DIOXIDE	LD 50 (Rat): > 10.000 mg/kg
gamma-	LD 50 (Rat): 1.570 mg/kg
Aminopropyltriethoxysilan	
e	
Dibutyltin Dilaurate	LD 50 (Rat): 2.071 mg/kg

Decamethylcyclopentasil
 oxane No data available.

TSE392-W-18K

Dodecamethylcyclohexasilo
 xane LD 50 (Rat): 2.000 mg/kg

Dermal

Product: LD 50 (Rat, male and female): 2.400 mg/kg (OECD-Guideline 402 (Acute Dermal Toxicity))

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE LD 50 (Rabbit): > 10.000 mg/kg

gamma-Aminopropyltriethoxysilane LD 50 (Rabbit): 4.290 mg/kg

Dibutyltin Dilaurate LD 50 (Rat): > 2.000 mg/kg

Decamethylcyclopentasiloxane LD 50 (Rabbit): > 2.000 mg/kg

Dodecamethylcyclohexasiloxane LD 50 (Rat): 2.000 mg/kg

Inhalation

Product: LC50 (Rat, male and female, 4 h): 36 mg/l (OECD Test Guideline 403)
 LC50 (Rat, 4 h): > 12,1 mg/l
 Not classified for acute toxicity based on available data.

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE LC50 (Rat, 4 h): > 6,8 mg/l

gamma-Aminopropyltriethoxysilane LC50 (Rat, 6 h):
 LC50 (Rat, 6 h):

Dibutyltin Dilaurate No data available.

Decamethylcyclopentasiloxane LC50 (Rat, 4 h): 8,67 mg/l

Dodecamethylcyclohexasiloxane No data available.

Repeated dose toxicity

Product: NOAEL (Rat(male and female), Inhalation(vapour)): 150 mg/kg (OECD 453)
 NOAEL (Rabbit(male and female), Dermal): 1 mg/kg (OECD 410)

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE No data available.

gamma-Aminopropyltriethoxysilane NOAEL (Rat, Oral, 90 d): 200 mg/kg
 LOAEL (Rat, Oral, 90 d): 600 mg/kg

TSE392-W-18K

Dibutyltin Dilaurate	NOAEL (Rat(male and female), Oral, 28 d): 0,3 - 0,4 mg/l NOAEL (Rat(males), Oral, 28 d): 1,9 - 2,3 mg/l NOAEL (Rat(female), Oral, 28 d): 1,7 - 2,3 mg/l
Decamethylcyclopentasiloxane	NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm
Dodecamethylcyclohexasiloxane	NOAEL (Rat(male and female), Oral): 1.000 mg/kg

Skin Corrosion/Irritation:

Product: OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rat): No skin irritation

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE	Draize (Rabbit, 4 h): Slightly irritating.
gamma-Aminopropyltriethoxysilane	No data available. OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 4 h): Corrosive
Dibutyltin Dilaurate	(Rabbit): Severe skin irritation.
Decamethylcyclopentasiloxane	OECD Test Guideline 404 (Rabbit, 72 h): Non irritating
Dodecamethylcyclohexasiloxane	OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation

Serious Eye Damage/Eye Irritation:

Product: OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): No eye irritation

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE	Draize (Rabbit, 24 h): Corrosive Risk of serious damage to eyes.
gamma-Aminopropyltriethoxysilane	No eye irritation OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): Strongly irritating.
Dibutyltin Dilaurate	OECD Test Guideline 405 (Rabbit, 21 d): Strongly irritating. Irritating to eyes.
Decamethylcyclopentasiloxane	OECD Test Guideline 405 (Rabbit, 72 h): Non irritating
Dodecamethylcyclohexasiloxane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No eye irritation Not irritating

Respiratory or Skin Sensitization:

Product: Not a skin sensitizer.
 , OECD-Guideline 406 (Skin Sensitisation)negative

Specified substance(s)

TSE392-W-18K

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
TITANIUM DIOXIDE gamma-Aminopropyltriethoxysilane	No data available. (Guinea Pig)positive
Dibutyltin Dilaurate	Maximisation Test, OECD Test Guideline 406 (Guinea Pig): Sensitizer
Decamethylcyclopentasiloxane	LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA) (Mouse): Non sensitizing.
Dodecamethylcyclohexasiloxane	Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): negative

Germ Cell Mutagenicity

In vitro

Product: Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)
Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic)

Specified substance(s)

CYCLOPENTYLSILAZANE-E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
TITANIUM DIOXIDE gamma-Aminopropyltriethoxysilane	No data available. Ames-Test: negative Chinese Hamster Ovary (CHO): negative Chromosomal aberration: negative
Dibutyltin Dilaurate	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (OECD 476): negative
Decamethylcyclopentasiloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guideline 476)): negative (not mutagenic) Chromosomal aberration (OECD 473): negative (not mutagenic)
Dodecamethylcyclohexasiloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative

In vivo

Product: Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)): negative

Specified substance(s)

CYCLOPENTYLSILAZANE-E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
TITANIUM DIOXIDE gamma-Aminopropyltriethoxysilane	No data available. No data available.
Dibutyltin Dilaurate	(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Oral (Mouse)positive The health hazard evaluation is based on the toxicological properties of a similar material.

TSE392-W-18K

Decamethylcyclopentasiloxane (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor.
 Dodecamethylcyclohexasiloxane OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal (Mouse, male and female): negative

Carcinogenicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.
 E-AMINOSILOXANE
 COPOLYMER,
 METHOXY
 TERMINATED
 TITANIUM DIOXIDE No data available.
 gamma-
 Aminopropyltriethoxysilane No data available.
 Dibutyltin Dilaurate No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.
 E-AMINOSILOXANE
 COPOLYMER,
 METHOXY
 TERMINATED
 TITANIUM DIOXIDE No data available.
 gamma-
 Aminopropyltriethoxysilane No data available.
 Dibutyltin Dilaurate No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.
 E-AMINOSILOXANE
 COPOLYMER,
 METHOXY
 TERMINATED
 TITANIUM DIOXIDE No data available.
 gamma-
 Aminopropyltriethoxysilane No data available.
 Dibutyltin Dilaurate No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.

TSE392-W-18K

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.
 E-AMINOSILOXANE
 COPOLYMER,
 METHOXY
 TERMINATED
 TITANIUM DIOXIDE No data available.
 gamma- No data available.
 Aminopropyltriethoxysilan
 e
 Dibutyltin Dilaurate No data available.
 Decamethylcyclopentasil
 oxane No data available.
 Dodecamethylcyclohexas
 iloxane No data available.

Aspiration Hazard

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZAN No data available.
 E-AMINOSILOXANE
 COPOLYMER,
 METHOXY
 TERMINATED
 TITANIUM DIOXIDE No data available.
 gamma- No data available.
 Aminopropyltriethoxysilan
 e
 Dibutyltin Dilaurate No data available.
 Decamethylcyclopentasil
 oxane No data available.
 Dodecamethylcyclohexas
 iloxane No data available.

Other effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZA No data available.
 NE-AMINOSILOXANE
 COPOLYMER,
 METHOXY
 TERMINATED
 TITANIUM DIOXIDE LC0 (Leuciscus idus, 48 h): > 1.000 mg/l
 gamma- LC50 (Brachydanio rerio, 96 h): > 934 mg/l (OECD Test Guideline 203)
 Aminopropyltriethoxysilan
 e
 Dibutyltin Dilaurate No data available.

TSE392-W-18K

Decamethylcyclopentasiloxane LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)
 Dodecamethylcyclohexasiloxane No data available.

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 48 h): > 0,015 mg/l

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE
 No data available.

gamma-Aminopropyltriethoxysilane
 No data available.

Dibutyltin Dilaurate
 EC50 (Daphnia magna, 48 h): < 0,463 mg/l (OECD Test Guideline 202)
 Fresh water

Decamethylcyclopentasiloxane
 EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

Dodecamethylcyclohexasiloxane
 No data available.

Chronic Toxicity

Fish

Product: LC50 (Oncorhynchus mykiss, 14 d): 0,01 mg/l

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE
 No data available.

gamma-Aminopropyltriethoxysilane
 No data available.

Dibutyltin Dilaurate
 No data available.

Decamethylcyclopentasiloxane
 NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline 210)
 LOEC (Oncorhynchus mykiss, 90 d): > 0,0014 mg/l (OECD-Guideline 210)

Dodecamethylcyclohexasiloxane
 NOEC (Pimephales promelas, 49 d): 0,0044 mg/l

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 21 d): > 0,015 mg/l

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE
 No data available.

gamma-Aminopropyltriethoxysilane
 No data available.

Dibutyltin Dilaurate
 No data available.

Decamethylcyclopentasiloxane
 NOEC (Daphnia magna, 21 d): >= 0,0015 mg/l (OECD-Guideline 211)
 LOEC (Daphnia magna, 21 d): > 0,0015 mg/l

TSE392-W-18K

Dodecamethylcyclohexasiloxane
 NOEC (Daphnia magna, 21 d): 0,0046 mg/l
 EC50 (Sediment Invertebrate, 28 d): > 420 mg/l
 LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE
 No data available.

gamma-Aminopropyltriethoxysilane
 NOEC (Desmodesmus subspicatus (green algae), 72 h): > 1.000 mg/l
 NOEC (Desmodesmus subspicatus (green algae), 72 h): 1,3 mg/l

Dibutyltin Dilaurate
 EC50 (Desmodesmus subspicatus (green algae), 72 h): > 1 mg/l (OECD Test Guideline 201) Fresh water

Decamethylcyclopentasiloxane
 EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l (OECD Test Guideline 201)
 NOEC : >= 0,0012 mg/l
 EC10 : > 0,0012 mg/l

Dodecamethylcyclohexasiloxane
 EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l (OECD Test Guideline 201)
 NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l (OECD Test Guideline 201)

12.2 Persistence and Degradability

Biodegradation

Product: activated sludge (adaptation not specified) (29 d, OECD Test Guideline 310): 3,7 % The product is not readily biodegradable.

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE
 No data available.

gamma-Aminopropyltriethoxysilane
 0 %
 (28 d): 67 % Not readily degradable. hydrolyses

Dibutyltin Dilaurate
 Biological degradability (39 d): 23 % The product is not readily biodegradable.

Decamethylcyclopentasiloxane
 activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310): 0,14 % The product is not readily biodegradable.

Dodecamethylcyclohexasiloxane
 No data available.

BOD/COD Ratio

Product: No data available.

Specified substance(s)

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED TITANIUM DIOXIDE
 No data available.

TITANIUM DIOXIDE
 No data available.

TSE392-W-18K

gamma-Aminopropyltriethoxysilane	No data available.
Dibutyltin Dilaurate	No data available.
Decamethylcyclopentasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.

12.3 Bioaccumulative potential

Product: Pimephales promelas, Bioconcentration Factor (BCF): 12,40 May accumulate in soil and water systems.

Specified substance(s)

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
TITANIUM DIOXIDE	No data available.
gamma-Aminopropyltriethoxysilane	Cyprinus carpio, Bioconcentration Factor (BCF): 3,4 (Measured) The product is not bioaccumulating.
Dibutyltin Dilaurate	The product is not bioaccumulating.
Decamethylcyclopentasiloxane	Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test Guideline 305)
Dodecamethylcyclohexasiloxane	No data available.

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

CYCLOPENTYLSILAZANE -AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
TITANIUM DIOXIDE	No data available.
gamma-Aminopropyltriethoxysilane	No data available.
Dibutyltin Dilaurate	No data available.
Decamethylcyclopentasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.

12.5 Results of PBT and vPvB assessment: vPvB: very persistent and very bioaccumulative substance.

CYCLOPENTYLSILAZANE- AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
TITANIUM DIOXIDE	No data available.
gamma-Aminopropyltriethoxysilane	Not fulfilling PBT (persistent/bioaccumulative/toxic) criteria, Not fulfilling vPvB (very persistent/very bioaccumulative) criteria
Dibutyltin Dilaurate	No data available.

TSE392-W-18K

Decamethylcyclopentasiloxane	vPvB: very persistent and very bioaccumulative substance.	Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i>
Dodecamethylcyclohexasiloxane	vPvB: very persistent and very bioaccumulative substance.	Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms</i>

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.

Disposal methods: Can be incinerated when in compliance with local regulations.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

TSE392-W-18K

Not regulated.

IATA

Not regulated.

14.6 Special precautions for user: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods. Protect from moisture. Keep away from food, foodstuff, acids and bases. keep away from odour sensitive materials

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,2%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,2%

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

The packaging shall be visibly, legibly and indelibly marked as follows:
 Restricted to professional users.

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:

TSE392-W-18K

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances: none

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:

Chemical name	CAS-No.	Concentration
TITANIUM DIOXIDE	13463-67-7	0,1 - 1,0%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
gamma-Aminopropyltriethoxysilane	919-30-2	0,1 - 1,0%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

Inventory Status

Australia AICS:	q (quantity restricted)	Remarks: None.
Canada DSL Inventory List:	q (quantity restricted)	Remarks: None.
EU EINECS List:	y (positive listing)	Remarks: None.
Japan (ENCS) List:	y (positive listing)	Remarks: None.
China Inventory of Existing Chemical Substances:	y (positive listing)	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	y (positive listing)	Remarks: None.
Canada NDSL Inventory:	n (Negative listing)	Remarks: None.
Philippines PICCS:	y (positive listing)	Remarks: None.
US TSCA Inventory:	y (positive listing)	Remarks: None.
New Zealand Inventory of Chemicals:	n (Negative listing)	Remarks: None.
Taiwan Chemical Substance Inventory:	y (positive listing)	Remarks: None.
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

SECTION 16: Other information

TSE392-W-18K

Revision Information: Not relevant.

Key literature references and sources for data: No data available.

Wording of the H-statements in section 2 and 3

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H360FD	May damage fertility. May damage the unborn child.
H361f	Suspected of damaging fertility.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Training information: No data available.

Classification according to Regulation (EC) No 1272/2008 as amended.

Eye Dam. 2, H319

Aquatic Chronic 3, H412

Issue Date: 09.06.2020

Disclaimer:

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

®, *, and TM indicate trademarks owned by or licensed to Momentive.