

Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RTV 11 - Drum (2001-227kg)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Silicone Elastomer

Uses advised against: For industrial use only.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distr :

ibutor Information

Momentive Performance Materials GmbH Chempark Leverkusen Gebaeude V7

DE - 51368 Leverkusen

Germany

Contact person : commercial.services@momentive.com

Telephone : General information

+390510924300 (Customer Service Centre)

1.4

number

Emergency telephone

(0) 1235239671

: Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has not been classified as hazardous according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Not classified

The product is not classified for chronic aquatic toxicity, for further details see section 16

2.2 Label Elements Not applicable

Supplemental label information

EUH210: Safety data sheet available on request.

Additional Information: No data available.

2.3 Other hazards No data available.

SECTION 3: Composition/information on ingredients

Chemical nature: SDS_GB

Polydimethylsiloxane with filler and coloured pigment.

1/15



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
Silicic acid, ethyl ester	1 - <5%	11099-06-2	234-324-0	No data available.	Not applicable	
Decamethylcy clopentasiloxa ne	0,1 - <1%	541-02-6	208-764-9	01- 2119511367- 43-XXXX	Not applicable	vPvB
Octamethylcyc lotetrasiloxane	0,01 - <0,25%	556-67-2	209-136-7	01- 2119529238- 36-XXXX	Aquatic Toxicity (Chronic): 10	PBT, vPvB
Dodecamethyl cyclohexasilox ane	0,1 - <1%	540-97-6	208-762-8	01- 2119517435- 42-XXXX	Not applicable	vPvB

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

Classification

Chemical name	Classification	Notes
Silicic acid, ethyl ester	Flam. Liq.: 3: H226; STOT SE: 3: H335; Eye Dam.: 2: H319;	
,	Acute Tox.: 4: H302;	
Decamethylcyclopentasilo	No data available.	
xane		
Octamethylcyclotetrasiloxa	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1:	No data
ne	H410;	available.
Dodecamethylcyclohexasil	No data available.	
oxane		

CLP: Regulation No. 1272/2008.

SECTION 4: First aid measures

General: Move into fresh air and keep at rest. Get medical attention if symptoms

occur.

4.1 Description of first aid measures

Inhalation: Move the exposed person to fresh air at once.

Eye contact: Rinse the eye with water immediately. Get medical attention if symptoms

VIECOS CO. 2/15

^{##} This substance has workplace exposure limit(s).

vPvB: very persistent and very bioaccumulative substance.



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Skin Contact: After contact with skin, remove product mechanically. Flush contaminated

skin with plenty of water.

Ingestion: If swallowed, rinse mouth with water (only if the person is conscious). Do

NOT induce vomiting. Consult a physician for specific advice.

4.2 Most important symptoms and effects, both acute and

delayed:

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No data available.

Treatment: No data available.

SECTION 5: Firefighting measures

General Fire Hazards: Use standard firefighting procedures and consider the hazards of other

involved materials.

5.1 Extinguishing media Suitable extinguishing

media:

All standard extinguishing agents are suitable.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or

mixture:

In case of fire, carbon monoxide and carbon dioxide may be formed. Exposure to fire can generate toxic fumes. Acute overexposure to the products of combustion may result in irritation of the respiratory tract.

5.3 Advice for firefighters Special fire fighting

procedures:

To prevent and minimize fire or explosion risk from static accumulation and discharge, effectively bond and/or ground product transfer system. Cool

fire-endangered containers with water.

Special protective equipment for fire-fighters:

Prevent runoff from fire control or dilution from entering streams, sewers, or

drinking water supply.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment. Use only in well-ventilated areas.

6.2 Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

6.3 Methods and material for containment and cleaning up:

Absorb spillage with suitable absorbent material. Sweep up and shovel into suitable containers for disposal. Clean thoroughly.

6.4 Reference to other sections:

See Section 8 of the SDS for Personal Protective Equipment. Collect and dispose of spillage as indicated in section 13 of the SDS.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Avoid contact with skin and eyes. Wear appropriate personal protective equipment. Use only in well-ventilated areas.

SDS_GB/// TECHSICO 3/15



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Storage conditions: No data available.

7.2 Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed in a cool, well-ventilated place. Keep away

from water or moist air.

Storage Stability: No data available.

7.3 Specific end use(s): No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Туре	Exposure Limit Values	Source
Calcium Carbonate - Respirable dust.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Calcium Carbonate - Inhalable dust.	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Calcium Carbonate - Respirable.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Calcium Carbonate - Inhalable	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Calcium Carbonate - Inhalable dust.	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Calcium Carbonate - Respirable dust.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)

Biological Limit Values

None.

8.2 Exposure controls

Appropriate Engineering

Controls:

Eye wash facilities and emergency shower must be available when

handling this product. Use only in well-ventilated areas.

Individual protection measures, such as personal protective equipment

General information: Do not eat, drink or smoke when using the product.

Eye/face protection: Safety glasses with side-shields conforming to EN166

Skin protection

Hand Protection: Advice: This recommendation is valid only for our Product as delivered. If

this product will be mixed with other substances you need to contact a supplier of CE approved protective gloves (e.g. KCL GmbH, D-36124 Eichenzell, Tel. 0049 (0) 6659 87300, Fax. 0049 (0) 6659 87155, email:

vertrieb@kcl.de). Material: 730 Camatril

Minimum break through time: 480 min

Glove thickness: 0,4 mm Guideline: EN 374

Other: Wear suitable protective clothing.

Respiratory Protection: Use only in well-ventilated areas. In case of inadequate ventilation use

suitable respirator.

Hygiene measures: Observe good industrial hygiene practices. Good personal hygiene is

necessary. Wash hands and contaminated areas with water and soap before leaving the work site. When using do not eat, drink or smoke.



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Environmental exposure

controls:

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid
Form: liquid
Color: White
Odor: Faint

Odor Threshold: No data available. pH: Not applicable Freezing point: No data available. **Boiling Point:** No data available. **Flash Point:** ca. 298 °C (Open Cup) **Evaporation Rate:** No data available. Flammability (solid, gas): No data available. Flammability Limit - Upper (%): No data available. Flammability Limit - Lower (%): No data available. No data available. Vapor pressure: Relative vapor density: No data available. Density: 1,18 g/cm3 (23 °C) No data available. Relative density:

Solubility(ies)

Solubility in Water:No data available.

Solubility (other): Soluble in toluene xylene

Partition coefficient (n-octanol/water) Log

Pow:

No data available.

Autoignition Temperature: No data available.

Decomposition Temperature: No decomposition if stored and applied as directed.

SADT:

Viscosity, dynamic:

11.000 mPa·s (23 °C)

Viscosity, kinematic:

No data available.

Explosive properties:

No data available.

No data available.

9.2 Other information

Minimum ignition temperature: 450 °C

SECTION 10: Stability and reactivity

10.1 Reactivity: No data available.

10.2 Chemical Stability: Material is stable under normal conditions.

10.3 Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

10.4 Conditions to avoid:

No data available.

SDS_GB

5/15



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

10.5 Incompatible Materials: Reacts with water liberating small amounts of methanol. Avoid contact with

acids and oxidizing substances.

10.6 Hazardous Decomposition

Products:

Oxides of silicon. Carbon oxides Tin fumes. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of

formaldehyde are formed due to oxidative degradation.

SECTION 11: Toxicological information

General information: Experience has shown, that the above mentioned product can be used

without any danger to health, as long as the usual conditions of industrial

hygiene are observed.

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: ATEmix: 21.777 mg/kg

Specified substance(s)

Silicic acid, ethyl ester No data available. Decamethylcyclopentasil No data available.

oxane

Octamethylcyclotetrasilox LD 50 (Rat): > 4.800 mg/kg

No data available.

iloxane

Dodecamethylcyclohexas LD 50 (Rat): 2.000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopenta

LD 50 (Rabbit): > 2.000 mg/kg

siloxane

Octamethylcyclotetrasil

oxane

LD 50 (Rat): > 2.375 mg/kg

Dodecamethylcyclohex asiloxane

LD 50 (Rat): 2.000 mg/kg

Inhalation

Product: LC50 (Rat, male and female, 4 h): 36 mg/l (OECD Test Guideline 403)

LC50 (Rat, 4 h): > 12,1 mg/l

Not classified for acute toxicity based on available data.

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

oxane

LC50 (Rat, 4 h): 8,67 mg/l

Octamethylcyclotetrasilox

LC50 (Rat, 4 h): 36 mg/l

Dodecamethylcyclohexas iloxane

No data available.

No data available.

S 6/15



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Repeated dose toxicity

Product: NOAEL (Rat(male and female), Inhalation(vapour)): 150 mg/kg (OECD

NOAEL (Rabbit(male and female), Dermal): 1 mg/kg (OECD 410)

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil No data available.

oxane

NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg

NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm

Octamethylcyclotetrasilox

No data available.

Dodecamethylcyclohexas

NOAEL (Rat(male and female), Oral): 1.000 mg/kg

iloxane

Skin Corrosion/Irritation:

Product: (Rabbit, 72 h): No skin irritation

Specified substance(s)

Silicic acid, ethyl ester No data available.

Decamethylcyclopentas

iloxane

OECD Test Guideline 404 (Rabbit, 72 h): Non irritating

Octamethylcyclotetrasil

OECD Test Guideline 404 (Rabbit): Non irritating

oxane

Dodecamethylcyclohex asiloxane

OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h):

No skin irritation

Serious Eye Damage/Eye Irritation:

Product: (Rabbit, 72 h): Non irritating

Specified substance(s)

Silicic acid, ethyl ester

No data available.

Decamethylcyclopentas

iloxane Octamethylcyclotetrasil

oxane

OECD Test Guideline 405 (Rabbit, 72 h): Non irritating

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating

Dodecamethylcyclohex

asiloxane

OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No

eye irritation Not irritating

Respiratory or Skin

Sensitization:

Not a skin sensitizer.

Product: , OECD-Guideline 406 (Skin Sensitisation)negative

Specified substance(s)

Silicic acid. ethyl ester Decamethylcyclopentas No data available.

LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA)

iloxane

(Mouse): Non sensitizing.

Octamethylcyclotetrasil

oxane

Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): Not sensitizing

Dodecamethylcyclohex asiloxane

Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea

Pig): negative

Germ Cell Mutagenicity

In vitro

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella Product: typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

Specified substance(s)

Silicic acid, ethyl ester No data available. hsil_co_



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Decamethylcyclopentasil

oxane

Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guidline

476)): negative (not mutagenic)

Chromosomal aberration (OECD 473): negative (not mutagenic) Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)

Mouse Lymphoma Assay (OECD Guidline 476): negative (not mutagenic)

Dodecamethylcyclohexas

Octamethylcyclotetrasilox

iloxane

ane

No data available.

In vivo

Product:

Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)): negative

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

oxane Octamethylcyclotetrasilox

Dodecamethylcyclohexas

ane

No data available.

(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation

(Rat, male and female)negative (not mutagenic) Vapor.

Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative

Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal

(Mouse, male and female): negative

iloxane

Carcinogenicity

Product:

No data available.

No data available.

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

oxane

Octamethylcyclotetrasilox

Dodecamethylcyclohexas

iloxane

No data available. No data available.

No data available.

Reproductive toxicity

Product:

No data available.

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

oxane

No data available. No data available.

Octamethylcyclotetrasilox

No data available.

Dodecamethylcyclohexas

No data available.

iloxane

Specific Target Organ Toxicity - Single Exposure Product: No data available.

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

oxane Octamethylcyclotetrasilox

Dodecamethylcyclohexas

No data available. No data available.

No data available.

No data available.

iloxane 2ChSi_CO_[8/15



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

Silicic acid, ethyl ester No data available. Decamethylcyclopentasil No data available.

oxane

Octamethylcyclotetrasilox No data available.

ane

Dodecamethylcyclohexas No data available.

iloxane

Aspiration Hazard

Product: No data available.

Specified substance(s)

Silicic acid, ethyl ester No data available. Decamethylcyclopentasil No data available.

oxane

Octamethylcyclotetrasilox

Dodecamethylcyclohexas

iloxane

No data available.

No data available.

Other effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

No data available. **Product:**

Specified substance(s)

Silicic acid, ethyl ester No data available.

Decamethylcyclopentasil

oxane

Octamethylcyclotetrasilox

ane

LC50 (Oncorhynchus mykiss, 96 h): > 0,022 mg/l

Dodecamethylcyclohexas

iloxane

No data available.

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 48 h): > 0,015 mg/l

Specified substance(s)

Silicic acid, ethyl ester No data available.

Decamethylcyclopentasil

oxane

EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

Octamethylcyclotetrasilox

EC50 (Daphnia magna, 48 h): > 0,015 mg/l

Dodecamethylcyclohexas

No data available.

iloxane

Chronic Toxicity

Fish

LC50 (Oncorhynchus mykiss, 14 d): 0,01 mg/l **Product:**



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Specified substance(s)

Silicic acid, ethyl ester

Decamethylcyclopentasil

oxane

Octamethylcyclotetrasilox

Dodecamethylcyclohexas iloxane

No data available.

NOEC (Oncorhynchus mykiss, 90 d): >= 0,0014 mg/l (OECD-Guideline 210) LOEC (Oncorhynchus mykiss, 90 d): > 0.0014 mg/l (OECD-Guideline 210)

NOEC (Oncorhynchus mykiss, 93 d): >= 0,0044 mg/l

NOEC (Pimephales promelas, 49 d): 0,0044 mg/l

Aquatic Invertebrates

Product: EC50 (Daphnia magna, 21 d): > 0,015 mg/l

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

oxane

Octamethylcyclotetrasilox

Dodecamethylcyclohexas

iloxane

No data available.

NOEC (Daphnia magna, 21 d): >= 0,0015 mg/l (OECD-Guideline 211)

LOEC (Daphnia magna, 21 d): > 0,0015 mg/l NOEC (Daphnia magna, 21 d): > 0,015 mg/l

NOEC (Daphnia magna, 21 d): 0,0046 mg/l EC50 (Sediment Invertebrate, 28 d): > 420 mg/l LOEC (Sediment Invertebrate, 28 d): >= 420 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

oxane

No data available.

EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l (OECD

Test Guideline 201) NOEC : >= 0,0012 mg/lEC10 : > 0.0012 mg/l

Octamethylcyclotetrasilox

Dodecamethylcyclohexas

iloxane

ErC50 (Selenastrum capricornutum, 96 h): > 0,022 mg/l

EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l (OECD Test Guideline 201)

NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l

(OECD Test Guideline 201)

12.2 Persistence and Degradability

Biodegradation

Product: activated sludge (adaptation not specified) (29 d, OECD Test Guideline 310):

3,7 % The product is not readily biodegradable.

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

No data available.

activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310):

0,14 % The product is not readily biodegradable.

oxane Octamethylcyclotetrasilox (29 d, 310 Ready Biodegradability - CO₂ in Sealed Vessels (Headspace

Test)): 3,7 % Persistent Not readily biodegradable. ane

Dodecamethylcyclohexas No data available.

iloxane

BOD/COD Ratio

No data available. Product

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

oxane

ane

Octamethylcyclotetrasilox

No data available. No data available.

No data available. Chsil CO 10/1



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Dodecamethylcyclohexas

iloxane

No data available.

12.3 Bioaccumulative potential

Product:

Pimephales promelas, Bioconcentration Factor (BCF): 12,40 May accumulate in soil and water systems.

Specified substance(s)

Silicic acid, ethyl ester Decamethylcyclopentasil

oxane

Octamethylcyclotetrasilox

Dodecamethylcyclohexas

iloxane

No data available.

Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test

Guideline 305)

Fathead Minnow, Bioconcentration Factor (BCF): 12,40

No data available.

12.4 Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Silicic acid, ethyl ester Decamethylcyclopentasilox No data available. No data available.

Octamethylcyclotetrasiloxa

No data available.

Dodecamethylcyclohexasilo

xane

No data available.

12.5 Results of PBT and vPvB assessment:

Silicic acid, ethyl ester Decamethylcyclopentasiloxane Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)

No data available.

vPvB: very persistent and

very

bioaccumulative substance.

Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for

Substances of very high concern

(SVHC)., However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water.

to land, or to living organisms.

Octamethylcyclotetrasiloxane

Persistent. Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)

Octamethylcyclotetrasiloxane (D4) meets the current EU REACh Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC). However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.

w.tech



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Dodecamethylcyclohexasiloxane

vPvB: very persistent and

very

bioaccumulative substance.

Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for

Substances of very high concern

(SVHC)., However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: The generation of waste should be avoided or minimized wherever

possible. Do not discharge into drains, water courses or onto the ground.

See Section 8 for information on appropriate personal protective

equipment.

Disposal methods: Can be incinerated when in compliance with local regulations.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

14.6 Special precautions for user: This product is not regarded as dangerous goods according to the

national and international regulations on the transport of

dangerous goods. Keep away from foodstuffs and animal feed.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

2Chsil-C Not applicable



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,1530%
Octamethylcyclotetrasiloxane	556-67-2	0 - <=0,1250%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,1000%

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%
Octamethylcyclotetrasiloxane	556-67-2	0,1 - 1,0%
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: none

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

Chemical name	CAS-No.	Concentration
Octamethylcyclotetrasiloxane	556-67-2	0,1 - 1,0%

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances:

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: none

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration	
Tetraethyl Silicate	78-10-4	0,1 - 1,0%	
Octamethylcyclotetrasiloxane		556-67-2	0,1 - 1,0%



Remarks: None.

Remarks: None.

Remarks: None.

Remarks: None.

Remarks: None

Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

15.2 Chemical safety assessment:

Inventory:

No Chemical Safety Assessment has been carried out.

Inventory Status

Australia AICS: Remarks: None. On or in compliance with the

inventory

Canada DSL Inventory List: On or in compliance with the Remarks: None

inventory

EINECS, ELINCS or NLP: On or in compliance with the Remarks: None.

inventory

On or in compliance with the Remarks: None. Japan (ENCS) List:

inventory

China Inv. Existing Chemical On or in compliance with the Remarks: None.

Substances: inventory

On or in compliance with the Korea Existing Chemicals Inv.

inventory (KECI):

Canada NDSL Inventory: Not in compliance with the

inventory. On or in compliance with the Philippines PICCS:

inventory

US TSCA Inventory: On or in compliance with the Remarks: None.

inventory New Zealand Inventory of Remarks: None.

On or in compliance with the

Chemicals: inventory Taiwan Chemical Substance On or in compliance with the

inventory

REACH: If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all

substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006

(REACH). For polymers, this

includes the constituent monomers and other

reactants.

SECTION 16: Other information

Revision Information: Not relevant.

Key literature references and sources for data:

The partition coefficient of D4 between PDMS and water has been

determined as log KPDMS-water =7.09. It follows that PDMS containing up to 3%w/w D4 will generate a thermodynamic limit concentration of 2.4 µg D4/L in the water phase. The critical 21d-NOEC for daphnia of 7.9 µg D4/L will not be reached. The product is therefore not classified for chronic aquatic toxicity

Wording of the H-statements in section 2 and 3

Flammable liquid and vapor. H226 H302 Harmful if swallowed.

Causes serious eye irritation. H319

May cause respiratory irritation. H335 H361f Suspected of damaging fertility.

Very toxic to aquatic life with long lasting effects. H410



Last revised date: 22.02.2022 Supersedes Date: 12.08.2018

RTV 11 - Drum (2001-227kg)

Training information: No data available.

Issue Date: Disclaimer:

22.02.2022

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.