

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: RTV 60/DBT - PKT (5l - 5.5kg)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Professional

Uses advised against: Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Importer/Distributor Information : Momentive Performance Materials GmbH
Chempark Leverkusen Gebaeude V7
DE - 51368 Leverkusen
Germany

Contact person : commercial.services@momentive.com

Telephone : General information
+390510924300 (Customer Service Centre)

1.4

Emergency telephone number : Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44 (0) 1235239671

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Specific Target Organ Toxicity - Repeated Exposure Category 2 H373: May cause damage to organs through prolonged or repeated exposure.

The product is not classified for chronic aquatic toxicity, for further details see section 16

2.2 Label Elements

Contains: Cristobalite



Signal Words: Warning

Hazard Statement(s): H373: May cause damage to organs through prolonged or repeated exposure.

RTV 60/DBT - PKT (5l - 5.5kg)

Precautionary Statements

Prevention: P260: Do not breathe dust/fume/gas/mist/vapors/spray.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Unknown toxicity - Health

Acute toxicity, oral 0 %
 Acute toxicity, dermal 0 %
 Acute toxicity, inhalation, vapor 0 %
 Acute toxicity, inhalation, dust or mist 0 %

Additional Information: This product is a mixture containing polymer compounds and hazardous substances as listed in Section 3. The relevant hazardous classification according to CLP Directive 1272/2008 is stated in Section 2 of this SDS. Although the preparation is classified as a hazardous preparation, it does not present a danger to human health by inhalation in the form in which it is placed on the market. According to Annex I No. 1.3.4.1 of the Directive 1272/2008, such preparations do not require a label for the hazards through inhalation route.

2.3 Other hazards No data available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
Cristobalite	5 - <10%	14464-46-1	238-455-4	No data available.	Not applicable	#
Kieselguhr, soda ash flux-calcined	1 - <5%	68855-54-9	272-489-0	No data available.	Not applicable	#
Silicic acid, ethyl ester	1 - <5%	11099-06-2	234-324-0	No data available.	Not applicable	
Tetraethyl Silicate	0,1 - <1%	78-10-4	201-083-8	01-2119496195-28-XXXX	Not applicable	#
calcium oxide	0,1 - <1%	1305-78-8	215-138-9	No data available.	Not	#

RTV 60/DBT - PKT (5l - 5.5kg)

					applicable	
Decamethylcyclopentasiloxane	0,1 - <1%	541-02-6	208-764-9	01-2119511367-43-XXXX	Not applicable	vPvB
Dodecamethylcyclohexasiloxane	0,1 - <1%	540-97-6	208-762-8	01-2119517435-42-XXXX	Not applicable	vPvB
Octamethylcyclotetrasiloxane	0,01 - <0,1%	556-67-2	209-136-7	01-2119529238-36-XXXX	Aquatic Toxicity (Chronic): 10	PBT, vPvB

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Classification	Notes
Cristobalite	STOT RE: 1: H372;	
Kieselguhr, soda ash flux-calcined	No data available.	
Silicic acid, ethyl ester	Flam. Liq.: 3: H226; STOT SE: 3: H335; Eye Dam.: 2: H319; Acute Tox.: 4: H302;	
Tetraethyl Silicate	Flam. Liq.: 3: H226; Acute Tox.: 4: H332; Eye Dam.: 2: H319; STOT SE: 3: H335; No data available.	No data available.
calcium oxide	STOT SE: 3: H335; Eye Dam.: 1: H318; Skin Corr.: 2: H315;	
Decamethylcyclopentasiloxane	No data available.	
Dodecamethylcyclohexasiloxane	No data available.	
Octamethylcyclotetrasiloxane	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1: H410;	No data available.

CLP: Regulation No. 1272/2008.

SECTION 4: First aid measures

General: Get medical attention if symptoms occur.

4.1 Description of first aid measures

Inhalation: Move into fresh air and keep at rest. Get medical attention if symptoms occur.

Eye contact: Get medical attention if symptoms occur. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

Skin Contact: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

RTV 60/DBT - PKT (5l - 5.5kg)

Ingestion: DO NOT induce vomiting. Get medical attention immediately. Do not give victim anything to drink if he is unconscious. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2 Most important symptoms and effects, both acute and delayed: None known.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No information about adverse effects due to exposure.

Treatment: If swallowed, do NOT induce vomiting. Give a glass of water.

SECTION 5: Firefighting measures

General Fire Hazards: Do not use water jet as an extinguisher, as this will spread the fire. Use water spray to keep fire-exposed containers cool.

5.1 Extinguishing media Suitable extinguishing media: Alcohol resistant foam. Carbon dioxide Dry chemical.

Unsuitable extinguishing media: Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture: In case of fire, carbon monoxide and carbon dioxide may be formed.

5.3 Advice for firefighters Special fire fighting procedures: Take precautionary measures against static discharges. To prevent and minimize fire or explosion risk from static accumulation and discharge, effectively bond and/or ground product transfer system.

Special protective equipment for fire-fighters: Wear self-contained breathing apparatus and protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: Avoid contact with eyes, skin, and clothing. Avoid contact with liquid and vapors. Use personal protective equipment. Use only in well-ventilated areas.

6.2 Environmental Precautions: Do not allow runoff to sewer, waterway or ground.

6.3 Methods and material for containment and cleaning up: Absorb spillage with suitable absorbent material. Shovel up and place in a container for salvage or disposal.

6.4 Reference to other sections: Remove sources of ignition. In case of spills, beware of slippery floors and surfaces. See Section 8 of the SDS for Personal Protective Equipment. Collect and dispose of spillage as indicated in section 13 of the SDS.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling: Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Wash hands after handling. Provide adequate ventilation. Avoid inhalation of dust and vapors.

Storage conditions: Keep container tightly closed. Keep away from sources of ignition - No smoking.

RTV 60/DBT - PKT (5l - 5.5kg)

7.2 Conditions for safe storage, including any incompatibilities: Keep container tightly closed. Keep away from sources of ignition - No smoking.

Storage Stability: Material is stable under normal conditions.

7.3 Specific end use(s): No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Type	Exposure Limit Values	Source
Red iron oxide - Fume. - as Fe	STEL	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Red iron oxide - Respirable.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Red iron oxide - Inhalable	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Red iron oxide - Fume. - as Fe	TWA	5 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Cristobalite - Respirable.	TWA	0,1 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Cristobalite - Respirable fraction and dust	TWA	0,1 mg/m3	EU. OELs, Directive 2004/37/EC on carcinogen and mutagens from Annex III, Part A, as amended (12 2017)
Cristobalite - Respirable dust.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Cristobalite - Inhalable dust.	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Cristobalite - Respirable dust.	TWA	2,4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Cristobalite - Inhalable dust.	TWA	6 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Cristobalite - Fiber.	TWA 4hs	5 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Kieselguhr, soda ash flux-calcined - Inhalable dust.	TWA	6 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Kieselguhr, soda ash flux-calcined - Respirable dust.	TWA	2,4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
Kieselguhr, soda ash flux-calcined - Respirable fraction and dust	TWA	0,1 mg/m3	EU. OELs, Directive 2004/37/EC on carcinogen and mutagens from Annex III, Part A, as amended (12 2017)
Kieselguhr, soda ash flux-calcined - Inhalable dust.	TWA	10 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Kieselguhr, soda ash flux-calcined - Respirable dust.	TWA	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)
Tetraethyl Silicate	TWA	5 ppm 44 mg/m3	EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended (02 2017)
	TWA	5 ppm 44 mg/m3	EU. Scientific Committee on Occupational Exposure Limit Values (SCOELs), European Commission - SCOEL, as amended (2014)
	TWA	5 ppm 44 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (08 2018)
QUARTZ - Respirable.	TWA	0,1 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
calcium oxide	TWA	2 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
calcium oxide - Respirable fraction.	TWA	1 mg/m3	EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended (02 2017)
	STEL	4 mg/m3	EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended (02 2017)
calcium oxide - Respirable dust.	STEL	4 mg/m3	EU. Scientific Committee on Occupational Exposure Limit Values (SCOELs), European

RTV 60/DBT - PKT (5l - 5.5kg)

	TWA	1 mg/m3	Commission - SCOEL, as amended (2014) EU. Scientific Committee on Occupational Exposure Limit Values (SCOELs), European Commission - SCOEL, as amended (2014)
calcium oxide - Respirable fraction.	STEL	4 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (08 2018)
	TWA	1 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (08 2018)

Biological Limit Values

None.

DNEL-Values

Critical component	Type	Route of Exposure		Remarks
Tetraethyl Silicate	Workers	Dermal	12,1 mg/kg bw/day	
		Inhalation	85 mg/m3	
			85 mg/m3	
	Consumers	Dermal	12,1 mg/kg bw/day	
		Inhalation	85 mg/m3	
			85 mg/m3	
	Consumers	Dermal	8,4 mg/kg bw/day	
		Inhalation	25 mg/m3	
			25 mg/m3	
			Dermal	8,4 mg/kg bw/day
		Inhalation	25 mg/m3	
			25 mg/m3	

PNEC-Values

Critical component	Environmental compartment		Remarks
Tetraethyl Silicate	Water	0,192 mg/l	
	Seawater	0,0192 mg/l	
	Intermittent release	10 mg/l	
	Sediment	0,18 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	soil	0,05 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	Sewage treatment plant	4000 mg/l	

8.2 Exposure controls

Appropriate Engineering Controls:

Eyewash bottle with clean water. No special requirements under ordinary conditions of use and with adequate ventilation. Use only in well-ventilated areas.

Individual protection measures, such as personal protective equipment

General information:

Use only in well-ventilated areas. Do not eat, drink or smoke when using the product. Wash hands after handling. Practice good housekeeping.

Eye/face protection:

Safety glasses with side-shields conforming to EN166

Skin protection

Hand Protection:

Advice: There is no risk to health due to contact with the chemical. Use hand protection to prevent mechanically injuries.

Other:

Safety shoes Long sleeves

Respiratory Protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene measures:

Observe good industrial hygiene practices. Wash hands after handling. When using do not eat, drink or smoke. Provide adequate ventilation.

RTV 60/DBT - PKT (5l - 5.5kg)

Environmental exposure controls: No release to wastewater from process as such, wastewater emissions limited to release generated from final equipment cleaning step using water

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	liquid
Form:	liquid
Color:	Red
Odor:	Faint
Odor Threshold:	No data available.
pH:	Not applicable
Freezing point:	No data available.
Boiling Point:	> 168 °C (1,013 hPa)
Flash Point:	ca. 109 °C (Closed Cup)
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability Limit - Upper (%):	No data available.
Flammability Limit - Lower (%):	No data available.
Vapor pressure:	No data available.
Relative vapor density:	No data available.
Density:	ca. 1,47 g/cm ³
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water) Log Pow:	No data available.
Autoignition Temperature:	No data available.
Decomposition Temperature:	No data available.
SADT:	No data available.
Viscosity, dynamic:	No data available.
Viscosity, kinematic:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

9.2 Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity:	No data available.
10.2 Chemical Stability:	Material is stable under normal conditions.
10.3 Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous polymerization will not occur.
10.4 Conditions to avoid:	No data available.
10.5 Incompatible Materials:	No data available.

RTV 60/DBT - PKT (5l - 5.5kg)

10.6 Hazardous Decomposition Products: No data available.

SECTION 11: Toxicological information

General information: Experience has shown, that the above mentioned product can be used without any danger to health, as long as the usual conditions of industrial hygiene are observed.

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

11.1 Information on toxicological effects

Acute toxicity

Oral

Product: ATEmix: 33.300,03 mg/kg

Specified substance(s)
 Cristobalite LD 50 (Rat): 5.000 mg/kg

Kieselguhr, soda ash flux-calcined No data available.

Silicic acid, ethyl ester No data available.

Tetraethyl Silicate No data available.

calcium oxide No data available.

Decamethylcyclopentasiloxane No data available.

Dodecamethylcyclohexasiloxane LD 50 (Rat): 2.000 mg/kg

Octamethylcyclotetrasiloxane LD 50 (Rat): > 4.800 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s)
 Cristobalite No data available.

Kieselguhr, soda ash flux-calcined No data available.

Silicic acid, ethyl ester No data available.

Tetraethyl Silicate No data available.

calcium oxide No data available.

Decamethylcyclopentasiloxane LD 50 (Rabbit): > 2.000 mg/kg

Dodecamethylcyclohexasiloxane LD 50 (Rat): 2.000 mg/kg

Octamethylcyclotetrasiloxane LD 50 (Rat): > 2.375 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s)

RTV 60/DBT - PKT (5l - 5.5kg)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	No data available.
calcium oxide	No data available.
Decamethylcyclopentasiloxane	LC50 (Rat, 4 h): 8,67 mg/l
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	LC50 (Rat, 4 h): 36 mg/l

Repeated dose toxicity

Product:	No data available.
Specified substance(s)	
Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	NOAEL (Rat(male and female), Oral, 28 d): 10 - 50 mg/kg LOAEL (Mouse(males), Inhalation, 28 d): 50 mg/kg
calcium oxide	No data available.
Decamethylcyclopentasiloxane	NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm
Dodecamethylcyclohexasiloxane	NOAEL (Rat(male and female), Oral): 1.000 mg/kg
Octamethylcyclotetrasiloxane	No data available.

Skin Corrosion/Irritation:

Product:	No data available.
Specified substance(s)	
Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	OECD Test Guideline 404 (Rabbit): Non irritating
calcium oxide	No data available.
Decamethylcyclopentasiloxane	OECD Test Guideline 404 (Rabbit, 72 h): Non irritating
Dodecamethylcyclohexasiloxane	OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation
Octamethylcyclotetrasiloxane	OECD Test Guideline 404 (Rabbit): Non irritating

Serious Eye Damage/Eye Irritation:

Product:	No data available.
Specified substance(s)	
Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	OECD Test Guideline 405 (Rabbit, 72 h): Non irritating
calcium oxide	No data available.
Decamethylcyclopentasiloxane	OECD Test Guideline 405 (Rabbit, 72 h): Non irritating
Dodecamethylcyclohexasiloxane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No eye irritation
Octamethylcyclotetrasiloxane	Not irritating

RTV 60/DBT - PKT (5l - 5.5kg)

Octamethylcyclotetrasiloxane OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating

Respiratory or Skin

Sensitization:

Product: No data available.

Specified substance(s)

Cristobalite No data available.
Kieselguhr, soda ash flux-calcined No data available.
Silicic acid, ethyl ester No data available.
Tetraethyl Silicate Sensitisation, skin, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): Non sensitizing.
calcium oxide No data available.
Decamethylcyclopentasiloxane LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA) (Mouse): Non sensitizing.
Dodecamethylcyclohexasiloxane Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): negative
Octamethylcyclotetrasiloxane Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): Not sensitizing

Germ Cell Mutagenicity

In vitro

Product: No data available.

Specified substance(s)

Cristobalite No data available.
Kieselguhr, soda ash flux-calcined No data available.
Silicic acid, ethyl ester No data available.
Tetraethyl Silicate Chinese Hamster Ovary (CHO) (OECD 476): negative
Chromosomal aberration (OECD 473): negative
calcium oxide No data available.
Decamethylcyclopentasiloxane Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)
Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guideline 476)): negative (not mutagenic)
Chromosomal aberration (OECD 473): negative (not mutagenic)
Dodecamethylcyclohexasiloxane No data available.
Octamethylcyclotetrasiloxane Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic)
Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic)

In vivo

Product: No data available.

Specified substance(s)

Cristobalite No data available.
Kieselguhr, soda ash flux-calcined No data available.
Silicic acid, ethyl ester No data available.
Tetraethyl Silicate No data available.
calcium oxide No data available.
Decamethylcyclopentasiloxane (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor.
Dodecamethylcyclohexasiloxane OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal (Mouse, male and female): negative

RTV 60/DBT - PKT (5I - 5.5kg)

Octamethylcyclotetrasiloxane Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative
 Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative

Carcinogenicity

Product: No data available.

Specified substance(s)

Cristobalite No data available.
 Kieselguhr, soda ash flux-calcined No data available.
 Silicic acid, ethyl ester No data available.
 Tetraethyl Silicate No data available.
 calcium oxide No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.
 Octamethylcyclotetrasiloxane No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s)

Cristobalite No data available.
 Kieselguhr, soda ash flux-calcined No data available.
 Silicic acid, ethyl ester No data available.
 Tetraethyl Silicate No data available.
 calcium oxide No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.
 Octamethylcyclotetrasiloxane No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s)

Cristobalite No data available.
 Kieselguhr, soda ash flux-calcined No data available.
 Silicic acid, ethyl ester No data available.
 Tetraethyl Silicate No data available.
 calcium oxide No data available.
 Decamethylcyclopentasiloxane No data available.
 Dodecamethylcyclohexasiloxane No data available.
 Octamethylcyclotetrasiloxane No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Specified substance(s)

Cristobalite No data available.
 Kieselguhr, soda ash flux-calcined No data available.

RTV 60/DBT - PKT (5l - 5.5kg)

Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	No data available.
calcium oxide	No data available.
Decamethylcyclopentasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.

Target Organs:

Tetraethyl Silicate	Respiratory tract irritation.
calcium oxide	respiratory tract irritation

Aspiration Hazard

Product: No data available.

Specified substance(s)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	No data available.
calcium oxide	No data available.
Decamethylcyclopentasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.

Other effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Fish

Product: No data available.

Specified substance(s)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	LC50 (Brachydanio rerio, 96 h): > 245 mg/l (Tested according to Directive 92/69/EEC.)
calcium oxide	No data available.
Decamethylcyclopentasiloxane	LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	LC50 (Oncorhynchus mykiss, 96 h): > 0,022 mg/l

Aquatic Invertebrates

Product: No data available.

RTV 60/DBT - PKT (5l - 5.5kg)

Specified substance(s)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	EC50 (Daphnia magna, 48 h): > 75 mg/l (OECD-Guideline 202)
calcium oxide	No data available.
Decamethylcyclopentasiloxane	EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	EC50 (Daphnia magna, 48 h): > 0,015 mg/l

Chronic Toxicity

Fish

Product: No data available.

Specified substance(s)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	No data available.
calcium oxide	No data available.
Decamethylcyclopentasiloxane	NOEC (Oncorhynchus mykiss, 90 d): \geq 0,0014 mg/l (OECD-Guideline 210) LOEC (Oncorhynchus mykiss, 90 d): > 0,0014 mg/l (OECD-Guideline 210)
Dodecamethylcyclohexasiloxane	NOEC (Pimephales promelas, 49 d): 0,0044 mg/l
Octamethylcyclotetrasiloxane	NOEC (Oncorhynchus mykiss, 93 d): \geq 0,0044 mg/l

Aquatic Invertebrates

Product: No data available.

Specified substance(s)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	No data available.
calcium oxide	No data available.
Decamethylcyclopentasiloxane	NOEC (Daphnia magna, 21 d): \geq 0,0015 mg/l (OECD-Guideline 211) LOEC (Daphnia magna, 21 d): > 0,0015 mg/l
Dodecamethylcyclohexasiloxane	NOEC (Daphnia magna, 21 d): 0,0046 mg/l EC50 (Sediment Invertebrate, 28 d): > 420 mg/l LOEC (Sediment Invertebrate, 28 d): \geq 420 mg/l
Octamethylcyclotetrasiloxane	NOEC (Daphnia magna, 21 d): > 0,015 mg/l

Toxicity to Aquatic Plants

Product: No data available.

Specified substance(s)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 100 mg/l (OECD Test Guideline 201)
calcium oxide	No data available.

RTV 60/DBT - PKT (5l - 5.5kg)

Decamethylcyclopentasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): > 0,0012 mg/l (OECD Test Guideline 201) NOEC : >= 0,0012 mg/l EC10 : > 0,0012 mg/l
Dodecamethylcyclohexasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l (OECD Test Guideline 201) NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l (OECD Test Guideline 201)
Octamethylcyclotetrasiloxane	ErC50 (Selenastrum capricornutum, 96 h): > 0,022 mg/l

12.2 Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	activated sludge, domestic (adaptation not specified) (28 d, OECD-Guideline 301 A (DOC Die-Away Test)): 98 % Readily biodegradable
calcium oxide	No data available.
Decamethylcyclopentasiloxane	activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310): 0,14 % The product is not readily biodegradable.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	(29 d, 310 Ready Biodegradability - CO ₂ in Sealed Vessels (Headspace Test)): 3,7 % Persistent Not readily biodegradable.

BOD/COD Ratio

Product No data available.

Specified substance(s)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	No data available.
calcium oxide	No data available.
Decamethylcyclopentasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.

12.3 Bioaccumulative potential

Product: No data available.

Specified substance(s)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	No data available.
calcium oxide	No data available.
Decamethylcyclopentasiloxane	Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test Guideline 305)
Dodecamethylcyclohexasiloxane	No data available.

RTV 60/DBT - PKT (5I - 5.5kg)

Octamethylcyclotetrasiloxane Fathead Minnow, Bioconcentration Factor (BCF): 12,40

12.4 Mobility in soil:

No data available.

Known or predicted distribution to environmental compartments

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	No data available.
calcium oxide	No data available.
Decamethylcyclopentasiloxane	No data available.
Dodecamethylcyclohexasiloxane	No data available.
Octamethylcyclotetrasiloxane	No data available.

12.5 Results of PBT and vPvB assessment:

Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)

Cristobalite	No data available.
Kieselguhr, soda ash flux-calcined	No data available.
Silicic acid, ethyl ester	No data available.
Tetraethyl Silicate	No data available.
calcium oxide	No data available.
Decamethylcyclopentasiloxane	vPvB: very persistent and very bioaccumulative substance.

Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., *However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.*

Dodecamethylcyclohexasiloxane	vPvB: very persistent and very bioaccumulative substance.
-------------------------------	---

Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., *However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms*

RTV 60/DBT - PKT (5l - 5.5kg)

Octamethylcyclotetrasiloxane	Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)	Octamethylcyclotetrasiloxane (D4) meets the current EU REACH Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i>
------------------------------	--	---

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: See Section 8 for information on appropriate personal protective equipment. The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground.

Disposal methods: Can be incinerated when in compliance with local regulations.

SECTION 14: Transport information

ADR

Not regulated.

ADN

Not regulated.

RID

Not regulated.

IMDG

Not regulated.

IATA

Not regulated.

14.6 Special precautions for user: This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Not applicable

RTV 60/DBT - PKT (5l - 5.5kg)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: none

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances: none

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: none

Regulation (EC) No. 649/2012 Import and export of dangerous chemicals: none

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended: none

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):

Chemical name	CAS-No.	Concentration
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,1670%
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,1320%

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:

Chemical name	CAS-No.	Concentration
Cristobalite	14464-46-1	1,0 - 10%
Kieselguhr, soda ash flux-calcined	68855-54-9	1,0 - 10%
QUARTZ	14808-60-7	0,1 - 1,0%

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:

Chemical name	CAS-No.	Concentration
QUARTZ	14808-60-7	0,1 - 1,0%

Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances:

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: none

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

RTV 60/DBT - PKT (5l - 5.5kg)

Chemical name	CAS-No.	Concentration
Tetraethyl Silicate	78-10-4	0,1 - 1,0%

15.2 Chemical safety assessment:

No Chemical Safety Assessment has been carried out.

Inventory Status

Australia Industrial Chem. Act (AIC):	Not in compliance with the inventory.	Remarks: None.
Canada DSL Inventory List:	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.

SECTION 16: Other information

Revision Information: Not relevant.

Key literature references and sources for data: The partition coefficient of D4 between PDMS and water has been determined as $\log K_{PDMS-water} = 7.09$. It follows that PDMS containing up to 3%w/w D4 will generate a thermodynamic limit concentration of 2.4 µg D4/L in the water phase. The critical 21d-NOEC for daphnia of 7.9 µg D4/L will not be reached. The product is therefore not classified for chronic aquatic toxicity

Wording of the H-statements in section 2 and 3

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

Training information: No data available.

Classification according to Regulation (EC) No 1272/2008 as amended.

STOT RE 2, H373

Issue Date: 28.02.2022

SDS_GB

RTV 60/DBT - PKT (5l - 5.5kg)

Disclaimer:

Notice to reader

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

Further Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.