

TSE 392 C - cartg (310ml - 322g)

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name: TSE 392 C - cartg (310ml - 322g)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Professional Consumer

Uses advised against: Not known.

### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Importer/Distributor Information** : Momentive Performance Materials GmbH  
Chempark Leverkusen Gebaeude V7  
DE - 51368 Leverkusen  
Germany

**Contact person** : commercial.services@momentive.com

**Telephone** : General information  
+390510924300 (Customer Service Centre)

### 1.4

**Emergency telephone number** : Europe, Israel & All other: +44 (0) 1235239670; Middle East:+44 (0) 1235239671

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

**Classification according to Regulation (EC) No 1272/2008 as amended.**

#### Health Hazards

Serious eye irritation Category 2 H319: Causes serious eye irritation.

#### Environmental Hazards

Chronic hazards to the aquatic environment Category 3 H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label Elements



**Signal Words:** Warning

**Hazard Statement(s):** H319: Causes serious eye irritation.  
H412: Harmful to aquatic life with long lasting effects.

**TSE 392 C - cartg (310ml - 322g)**

**Precautionary Statements**

- Prevention:** P264: Wash face, hands and any exposed skin thoroughly after handling.  
 P273: Avoid release to the environment.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
- Response:** P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313: If eye irritation persists: Get medical advice/attention.
- Disposal:** P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

**Supplemental label information**

EUH208: Contains (gamma-Aminopropyltriethoxysilane, Dibutyltin Dilaurate). May produce an allergic reaction.

**Unknown toxicity - Health**

- Acute toxicity, oral 0,33 %  
 Acute toxicity, dermal 0,33 %  
 Acute toxicity, inhalation, vapor 0,33 %  
 Acute toxicity, inhalation, dust or mist 0,33 %

**Unknown toxicity - Environment**

- Acute hazards to the aquatic environment 0 %  
 Chronic hazards to the aquatic environment 0 %  
 Acute hazards to the aquatic environment 0,33 %  
 Chronic hazards to the aquatic environment 0,33 %

**Additional Information:** No data available.

**2.3 Other hazards** No data available.

**SECTION 3: Composition/information on ingredients**

**Chemical nature:** Silicone sealant

**3.2 Mixtures**

**General information:** No data available.

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
CYCLOPENT YLSILAZANE-	1 - <3%	134759-20-9	638-885-6	Polymer	Not	

**TSE 392 C - cartg (310ml - 322g)**

AMINOSILOXANE COPOLYMER, METHOXY TERMINATED					applicable	
gamma-Aminopropyltriethoxysilane	0,1 - <1%	919-30-2	213-048-4	01-2119480479-24-XXXX	Not applicable	
Dibutyltin Dilaurate	0,1 - <0,3%	77-58-7	201-039-8	01-2119496068-27-XXXX	Aquatic Toxicity (Acute): 1	#
Dodecamethyl cyclohexasiloxane	0,1 - <1%	540-97-6	208-762-8	01-2119517435-42-XXXX	Not applicable	vPvB
Decamethylcyclopentasiloxane	0,1 - <1%	541-02-6	208-764-9	01-2119511367-43-XXXX	Not applicable	vPvB
Octamethylcyclotetrasiloxane	0,01 - <0,1%	556-67-2	209-136-7	01-2119529238-36-XXXX	Aquatic Toxicity (Chronic): 10	PBT, vPvB

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# # This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

**Classification**

Chemical name	Classification	Notes
CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	Eye Dam.: 1: H318; Skin Corr.: 2: H315;	
gamma-Aminopropyltriethoxysilane	Skin Sens.: 1: H317; Acute Tox.: 4: H302; Skin Corr.: 1B: H314; Eye Dam.: 1: H318;	No data available.
Dibutyltin Dilaurate	Eye Dam.: 1: H318; Skin Sens.: 1: H317; Muta.: 2: H341; Repr.: 1B: H360FD; STOT SE: 1: H370; Skin Corr.: 1C: H314; Aquatic Chronic: 1: H410; Aquatic Acute: 1: H400; No data available.	No data available.
Dodecamethylcyclohexasiloxane	No data available.	
Decamethylcyclopentasiloxane	No data available.	
Octamethylcyclotetrasiloxane	Flam. Liq.: 3: H226; Repr.: 2: H361f; Aquatic Chronic: 1: H410;	No data available.

CLP: Regulation No. 1272/2008.

**SECTION 4: First aid measures**

**TSE 392 C - cartg (310ml - 322g)**

**4.1 Description of first aid measures**

- Inhalation:** Move into fresh air and keep at rest. Get medical attention if symptoms occur.
- Eye contact:** Rinse the eye with water immediately. If eye irritation persists: Get medical advice/attention.
- Skin Contact:** After contact with skin, remove product mechanically. Wash area with soap and water.
- Ingestion:** If swallowed, do NOT induce vomiting. Give a glass of water. Rinse mouth. Consult a physician for specific advice.

- 4.2 Most important symptoms and effects, both acute and delayed:** Product may hydrolyse upon contact with body fluids in the gastrointestinal tract to produce additional methanol; therefore, consider the signs/symptoms of methanol poisoning and also observe the known latency period of several days!

**4.3 Indication of any immediate medical attention and special treatment needed**

- Hazards:** No data available.
- Treatment:** If swallowed, do NOT induce vomiting. Give a glass of water. If swallowed, rinse mouth with water (only if the person is conscious). Product may hydrolyze upon contact with body fluids in the gastrointestinal tract to produce additional methanol. The potential for toxic effects due to methanol formation (eye damage and blindness, metabolic acidosis, dizziness and drowsiness, fetal toxicity, and liver, kidney, and heart muscle damage) should be recognized.

**SECTION 5: Firefighting measures**

- General Fire Hazards:** Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

**5.1 Extinguishing media  
Suitable extinguishing media:**

All standard extinguishing agents are suitable.

**Unsuitable extinguishing media:**

Do not use water jet as an extinguisher, as this will spread the fire.

**5.2 Special hazards arising from the substance or mixture:**

Reacts with water liberating small amounts of methanol. In case of fire, carbon monoxide and carbon dioxide may be formed. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

**5.3 Advice for firefighters  
Special fire fighting procedures:**

Product may charge electrostatically during pouring or filling. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

**Special protective equipment for fire-fighters:**

Use standard firefighting procedures and consider the hazards of other involved materials. Self-contained breathing apparatus.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures:**

Provide adequate ventilation. Use personal protective equipment. Keep container tightly closed and in a well-ventilated place. Caution: Contaminated surfaces may be slippery.

**TSE 392 C - cartg (310ml - 322g)**

- 6.2 Environmental Precautions:** Prevent runoff from entering drains, sewers, or streams.
- 6.3 Methods and material for containment and cleaning up:** Use mechanical handling equipment. Shovel up and place in a container for salvage or disposal.
- 6.4 Reference to other sections:** Remove sources of ignition.

**SECTION 7: Handling and storage:**

- 7.1 Precautions for safe handling:** Methanol is formed during processing. Wear appropriate personal protective equipment.
- Storage conditions:** Keep away from sources of ignition - No smoking. Store in original container.
- 7.2 Conditions for safe storage, including any incompatibilities:** Store in original tightly closed container. Keep in a cool, ventilated location far from heat source and flame Keep away from food, drink and animal feeding stuffs.
- Storage Stability:** Material is stable under normal conditions.
- 7.3 Specific end use(s):** No data available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control Parameters  
Occupational Exposure Limits**

Chemical name	Type	Exposure Limit Values	Source
Dibutyltin Dilaurate - as Sn	TWA	0,1 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (12 2011)
	STEL	0,2 mg/m3	UK. EH40 Workplace Exposure Limits (WELs), as amended (01 2020)

**Biological Limit Values**

None.

**DNEL-Values**

Critical component	Type	Route of Exposure		Remarks
Dibutyltin Dilaurate	Workers	Dermal	1 mg/kg bw/day	
		Inhalation	0,07 mg/m3	
		Dermal	0,2 mg/kg bw/day	
		Inhalation	0,01 mg/m3	
	Consumers	Dermal	0,5 mg/kg bw/day	
		Inhalation	0,02 mg/m3	
		Ingestion	0,01 mg/kg bw/day	
		Dermal	0,08 mg/kg bw/day	
		Inhalation	0,003 mg/m3	
		Ingestion	0,002 mg/kg bw/day	

**PNEC-Values**

Critical component	Environmental compartment		Remarks
Dibutyltin Dilaurate	Water	0,463 µg/l	

**TSE 392 C - cartg (310ml - 322g)**

	Seawater	0,0463 µg/l	
	Intermittent release	4,63 µg/l	
	freshwater sediment	0,05 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	Saltwater Sediment	0,005 mg/kg	Derived from PNEC(freshwater) using the equilibrium partitioning method.
	soil	0,0407 mg/kg	
	Sewage treatment plant	100 mg/l	
	Oral	0,2 mg/kg	

**8.2 Exposure controls**

**Appropriate Engineering Controls:**

Eye wash facilities and emergency shower must be available when handling this product. Observe good industrial hygiene practices.

**Individual protection measures, such as personal protective equipment**

**General information:**

Use only in well-ventilated areas. Wear suitable gloves and eye/face protection.

**Eye/face protection:**

Safety glasses with side-shields conforming to EN166

**Skin protection**

**Hand Protection:**

Advice: There is no risk to health due to contact with the chemical. Use hand protection to prevent mechanically injuries.

**Other:**

Wear suitable protective clothing and eye/face protection. Wear suitable protective clothing.

**Respiratory Protection:**

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection mask with Filtrertype ABEK

**Hygiene measures:**

Avoid contact with eyes, skin, and clothing. Wash hands after handling. When using do not eat or drink.

**Environmental exposure controls:**

No data available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

<b>Physical state:</b>	solid
<b>Form:</b>	Paste
<b>Color:</b>	Colorless
<b>Odor:</b>	Faint
<b>Odor Threshold:</b>	No data available.
<b>pH:</b>	Not applicable
<b>Melting Point:</b>	No data available.
<b>Boiling Point:</b>	Not applicable
<b>Flash Point:</b>	144 °C
<b>Evaporation Rate:</b>	No data available.
<b>Flammability (solid, gas):</b>	No data available.
<b>Flammability Limit - Upper (%):</b>	No data available.
<b>Flammability Limit - Lower (%):</b>	No data available.
<b>Vapor pressure:</b>	No data available.

**TSE 392 C - cartg (310ml - 322g)**

<b>Relative vapor density:</b>	No data available.
<b>Density:</b>	No data available.
<b>Relative density:</b>	No data available.
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Insoluble
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water) Log Pow:</b>	No data available.
<b>Autoignition Temperature:</b>	No data available.
<b>Decomposition Temperature:</b>	No decomposition if stored and applied as directed.
<b>SADT:</b>	No data available.
<b>Viscosity, dynamic:</b>	No data available.
<b>Viscosity, kinematic:</b>	> 20,5 mm <sup>2</sup> /s (40 °C)
<b>Explosive properties:</b>	No data available.
<b>Oxidizing properties:</b>	No data available.

**9.2 Other information**  
No data available.

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity:</b>	Material is stable under normal conditions.
<b>10.2 Chemical Stability:</b>	Material is stable under normal conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Hazardous polymerization does not occur. Avoid contact with: Moisture.
<b>10.4 Conditions to avoid:</b>	Keep away from heat, sparks and open flame.
<b>10.5 Incompatible Materials:</b>	Moisture. Strong Acids, Strong Bases
<b>10.6 Hazardous Decomposition Products:</b>	Carbon oxides Oxides of silicon. Generates methanol during cure. Measurements at temperatures above 150°C in presence of air (oxygen) have shown that small amounts of formaldehyde are formed due to oxidative degradation.

**SECTION 11: Toxicological information**

<b>General information:</b>	In serious cases absorption of methanol in the body may lead to damage to the eyesight.
<b>Information on likely routes of exposure</b>	
<b>Inhalation:</b>	No data available.
<b>Ingestion:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.

**11.1 Information on toxicological effects**

**Acute toxicity**

**Oral**

SDS\_GB

**TSE 392 C - cartg (310ml - 322g)**

**Product:** Not classified for acute toxicity based on available data.  
 Not classified for acute toxicity based on available data.

**Specified substance(s)**  
 CYCLOPENTYLSILAZA LD 50 (Rat): 4.666 mg/kg  
 NE-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED  
 gamma- No data available.  
 Aminopropyltriethoxysilan  
 e  
 Dibutyltin Dilaurate LD 50 (Rat): 2.071 mg/kg

Dodecamethylcyclohexas  
 iloxane LD 50 (Rat): 2.000 mg/kg

Decamethylcyclopentasil  
 oxane No data available.

Octamethylcyclotetrasilox  
 ane LD 50 (Rat): > 4.800 mg/kg

**Dermal**

**Product:** Not classified for acute toxicity based on available data.  
 Not classified for acute toxicity based on available data.

**Specified substance(s)**  
 CYCLOPENTYLSILAZA No data available.  
 ANE-  
 AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED  
 gamma- No data available.  
 Aminopropyltriethoxysil  
 ane  
 Dibutyltin Dilaurate LD 50 (Rat): > 2.000 mg/kg

Dodecamethylcyclohex  
 asiloxane LD 50 (Rat): 2.000 mg/kg

Decamethylcyclopenta  
 siloxane LD 50 (Rabbit): > 2.000 mg/kg

Octamethylcyclotetrasil  
 oxane LD 50 (Rat): > 2.375 mg/kg

**Inhalation**

**Product:** Not classified for acute toxicity based on available data.  
 Not classified for acute toxicity based on available data.

**Specified substance(s)**  
 CYCLOPENTYLSILAZA No data available.  
 NE-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED  
 gamma- No data available.  
 Aminopropyltriethoxysilan  
 e  
 Dibutyltin Dilaurate No data available.  
 Dodecamethylcyclohexas  
 iloxane No data available.  
 Decamethylcyclopentasil  
 oxane LC50 (Rat, 4 h): 8,67 mg/l  
 Octamethylcyclotetrasilox  
 LC50 (Rat, 4 h): 36 mg/l



**TSE 392 C - cartg (310ml - 322g)**

ane

**Repeated dose toxicity**

<b>Product:</b>	No data available.
<b>Specified substance(s)</b>	
CYCLOPENTYLSILAZA NE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
gamma- Aminopropyltriethoxysilan e	NOAEL (Rat): 200 mg/kg/d (Rat(Male)): 147 mg/m <sup>3</sup>
Dibutyltin Dilaurate	NOAEL (Rat(male and female), Oral, 28 d): 0,3 - 0,4 mg/l NOAEL (Rat(males), Oral, 28 d): 1,9 - 2,3 mg/l NOAEL (Rat(female), Oral, 28 d): 1,7 - 2,3 mg/l
Dodecamethylcyclohexas iloxane	NOAEL (Rat(male and female), Oral): 1.000 mg/kg
Decamethylcyclopentasil oxane	NOAEL (Rat(male and female), Oral, 90 d): 1.000 mg/kg NOAEL (Rat(male and female), Dermal, 28 d): 1.600 mg/kg NOAEC (Rat(male and female), Inhalation - vapor, 2 y): 160 ppm
Octamethylcyclotetrasilox ane	No data available.

**Skin Corrosion/Irritation:**

<b>Product:</b>	No data available.
<b>Specified substance(s)</b>	
CYCLOPENTYLSILAZ ANE- AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	Draize (Rabbit, 4 h): Slightly irritating.
gamma- Aminopropyltriethoxysil ane	No data available.
Dibutyltin Dilaurate	(Rabbit): Severe skin irritation.
Dodecamethylcyclohex asiloxane	OECD-Guideline 404 (Acute Dermal Irritation/Corrosion) (Rabbit, 72 h): No skin irritation
Decamethylcyclopentasil oxane	OECD Test Guideline 404 (Rabbit, 72 h): Non irritating
Octamethylcyclotetrasil oxane	OECD Test Guideline 404 (Rabbit): Non irritating

**Serious Eye Damage/Eye Irritation:**

<b>Product:</b>	No data available.
<b>Specified substance(s)</b>	
CYCLOPENTYLSILAZ ANE- AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	Draize (Rabbit, 24 h): Corrosive Risk of serious damage to eyes.
gamma- Aminopropyltriethoxysil ane	No data available.
Dibutyltin Dilaurate	OECD Test Guideline 405 (Rabbit, 21 d): Strongly irritating. Irritating to eyes.
Dodecamethylcyclohex asiloxane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit, 72 h): No eye irritation Not irritating

**TSE 392 C - cartg (310ml - 322g)**

Decamethylcyclopentasiloxane	OECD Test Guideline 405 (Rabbit, 72 h): Non irritating
Octamethylcyclotetrasiloxane	OECD-Guideline 405 (Acute Eye Irritation/Corrosion) (Rabbit): Non irritating

**Respiratory or Skin**

**Sensitization:**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED gamma-Aminopropyltriethoxysilane	No data available.
Dibutyltin Dilaurate	Bühler-Patch-Test skin sensitisation on guinea pigs, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): Sensitizing
Dodecamethylcyclohexasiloxane	Maximisation Test, OECD Test Guideline 406 (Guinea Pig): Sensitizer
Decamethylcyclopentasiloxane	Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): negative
Octamethylcyclotetrasiloxane	LLNA (Local Lymph Node Assay), OECD Guideline 429 (LLNA) (Mouse): Non sensitizing.
	Maximisation Test, OECD-Guideline 406 (Skin Sensitisation) (Guinea Pig): Not sensitizing

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZANE E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED gamma-Aminopropyltriethoxysilane	No data available.
Dibutyltin Dilaurate	No data available.
Dodecamethylcyclohexasiloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (OECD 476): negative
Decamethylcyclopentasiloxane	No data available.
Octamethylcyclotetrasiloxane	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mammalian cytogenicity test (Mouse Lymphoma Assay (OECD Guideline 476)): negative (not mutagenic) Chromosomal aberration (OECD 473): negative (not mutagenic)
	Ames-Test (OECD-Guideline 471 (Genetic Toxicology: Salmonella typhimurium, Reverse Mutation Assay)): negative (not mutagenic) Mouse Lymphoma Assay (OECD Guideline 476): negative (not mutagenic)

**In vivo**

**Product:** No data available.

**Specified substance(s)**

**TSE 392 C - cartg (310ml - 322g)**

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
gamma- Aminopropyltriethoxysilan e	No data available.
Dibutyltin Dilaurate	(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Oral (Mouse)positive The health hazard evaluation is based on the toxicological properties of a similar material.
Dodecamethylcyclohexas iloxane	OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test) (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Intraperitoneal (Mouse, male and female): negative
Decamethylcyclopentasil oxane	(OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female)negative (not mutagenic) Vapor.
Octamethylcyclotetrasilox ane	Chromosomal aberration (OECD-Guideline 474 (Genetic Toxicology: Micronucleus Test)) Inhalation (Rat, male and female): negative Dominant lethal assay (OECD 478) Oral (Rat, male and female): negative

**Carcinogenicity**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
gamma- Aminopropyltriethoxysilan e	No data available.
Dibutyltin Dilaurate	No data available.
Dodecamethylcyclohexas iloxane	No data available.
Decamethylcyclopentasil oxane	No data available.
Octamethylcyclotetrasilox ane	No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
gamma- Aminopropyltriethoxysilan e	No data available.
Dibutyltin Dilaurate	No data available.
Dodecamethylcyclohexas iloxane	No data available.
Decamethylcyclopentasil oxane	No data available.
Octamethylcyclotetrasilox ane	No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**TSE 392 C - cartg (310ml - 322g)**

**Specified substance(s)**

CYCLOPENTYLSILAZAN No data available.  
 E-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED  
 gamma- No data available.  
 Aminopropyltriethoxysilan  
 e  
 Dibutyltin Dilaurate No data available.  
 Dodecamethylcyclohexas  
 iloxane No data available.  
 Decamethylcyclopentasil  
 oxane No data available.  
 Octamethylcyclotetrasilox  
 ane No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZAN No data available.  
 E-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED  
 gamma- No data available.  
 Aminopropyltriethoxysilan  
 e  
 Dibutyltin Dilaurate No data available.  
 Dodecamethylcyclohexas  
 iloxane No data available.  
 Decamethylcyclopentasil  
 oxane No data available.  
 Octamethylcyclotetrasilox  
 ane No data available.

**Aspiration Hazard**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZAN No data available.  
 E-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED  
 gamma- No data available.  
 Aminopropyltriethoxysilan  
 e  
 Dibutyltin Dilaurate No data available.  
 Dodecamethylcyclohexas  
 iloxane No data available.  
 Decamethylcyclopentasil  
 oxane No data available.  
 Octamethylcyclotetrasilox  
 ane No data available.

**Other effects:** No data available.

**SECTION 12: Ecological information**

**TSE 392 C - cartg (310ml - 322g)**

**12.1 Toxicity**

**Acute toxicity**

**Fish**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZA  
 NE-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED

gamma-Aminopropyltriethoxysilane LC 50 (96 h): > 110 mg/l (OECD-Guideline 203 (Fish, Acute Toxicity Test))

Dibutyltin Dilaurate No data available.

Dodecamethylcyclohexasiloxane No data available.

Decamethylcyclopentasiloxane LC50 (Oncorhynchus mykiss, 96 h): > 0,0016 mg/l (OECD-Guideline 204)

Octamethylcyclotetrasiloxane LC50 (Oncorhynchus mykiss, 96 h): > 0,022 mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZA  
 NE-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED

gamma-Aminopropyltriethoxysilane EC50 (Daphnia, 48 h): > 100 mg/l (OECD Test Guideline 202)

Dibutyltin Dilaurate EC50 (Daphnia magna, 48 h): < 0,463 mg/l (OECD Test Guideline 202)  
 Fresh water

Dodecamethylcyclohexasiloxane No data available.

Decamethylcyclopentasiloxane EC50 (Daphnia magna, 48 h): > 0,0029 mg/l (OECD Test Guideline 202)

Octamethylcyclotetrasiloxane EC50 (Daphnia magna, 48 h): > 0,015 mg/l

**Chronic Toxicity**

**Fish**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZA  
 NE-AMINOSILOXANE  
 COPOLYMER,  
 METHOXY  
 TERMINATED

gamma-Aminopropyltriethoxysilane No data available.

Dibutyltin Dilaurate No data available.

Dodecamethylcyclohexasiloxane NOEC (Pimephales promelas, 49 d): 0,0044 mg/l

**TSE 392 C - cartg (310ml - 322g)**

iloxane	
Decamethylcyclopentasiloxane	NOEC (Oncorhynchus mykiss, 90 d): $\geq 0,0014$ mg/l (OECD-Guideline 210)
oxane	LOEC (Oncorhynchus mykiss, 90 d): $> 0,0014$ mg/l (OECD-Guideline 210)
Octamethylcyclotetrasiloxane	NOEC (Oncorhynchus mykiss, 93 d): $\geq 0,0044$ mg/l

**Aquatic Invertebrates**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
gamma-Aminopropyltriethoxysilane	No data available.
Dibutyltin Dilaurate	No data available.
Dodecamethylcyclohexasiloxane	NOEC (Daphnia magna, 21 d): 0,0046 mg/l EC50 (Sediment Invertebrate, 28 d): $> 420$ mg/l LOEC (Sediment Invertebrate, 28 d): $\geq 420$ mg/l
Decamethylcyclopentasiloxane	NOEC (Daphnia magna, 21 d): $\geq 0,0015$ mg/l (OECD-Guideline 211) LOEC (Daphnia magna, 21 d): $> 0,0015$ mg/l
Octamethylcyclotetrasiloxane	NOEC (Daphnia magna, 21 d): $> 0,015$ mg/l

**Toxicity to Aquatic Plants**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZANE-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
gamma-Aminopropyltriethoxysilane	EC50 (72 h): $> 3,6$ mg/l (OECD Test Guideline 201)
Dibutyltin Dilaurate	EC50 (Desmodesmus subspicatus (green algae), 72 h): $> 1$ mg/l (OECD Test Guideline 201) Fresh water
Dodecamethylcyclohexasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 72 h): $> 0,002$ mg/l (OECD Test Guideline 201) NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): $\geq 0,002$ mg/l (OECD Test Guideline 201)
Decamethylcyclopentasiloxane	EC50 (Algae (Pseudokirchneriella subcapitata), 96 h): $> 0,0012$ mg/l (OECD Test Guideline 201) NOEC : $\geq 0,0012$ mg/l EC10 : $> 0,0012$ mg/l
Octamethylcyclotetrasiloxane	ErC50 (Selenastrum capricornutum, 96 h): $> 0,022$ mg/l

**12.2 Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Specified substance(s)**

**TSE 392 C - cartg (310ml - 322g)**

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
gamma- Aminopropyltriethoxysilan e	No data available.
Dibutyltin Dilaurate	Biological degradability (39 d): 23 % The product is not readily biodegradable.
Dodecamethylcyclohexas iloxane	No data available.
Decamethylcyclopentasil oxane	activated sludge (adaptation not specified) (28 d, OECD Test Guideline 310): 0,14 % The product is not readily biodegradable.
Octamethylcyclotetrasilox ane	(29 d, 310 Ready Biodegradability - CO <sub>2</sub> in Sealed Vessels (Headspace Test)): 3,7 % Persistent Not readily biodegradable.

**BOD/COD Ratio**

**Product** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
gamma- Aminopropyltriethoxysilan e	No data available.
Dibutyltin Dilaurate	No data available.
Dodecamethylcyclohexas iloxane	No data available.
Decamethylcyclopentasil oxane	No data available.
Octamethylcyclotetrasilox ane	No data available.

**12.3 Bioaccumulative potential**

**Product:** No data available.

**Specified substance(s)**

CYCLOPENTYLSILAZAN E-AMINOSILOXANE COPOLYMER, METHOXY TERMINATED	No data available.
gamma- Aminopropyltriethoxysilan e	No data available.
Dibutyltin Dilaurate	The product is not bioaccumulating.
Dodecamethylcyclohexas iloxane	No data available.
Decamethylcyclopentasil oxane	Fathead Minnow, Bioconcentration Factor (BCF): 7.060 (OECD Test Guideline 305)
Octamethylcyclotetrasilox ane	Fathead Minnow, Bioconcentration Factor (BCF): 12,40

**12.4 Mobility in soil:**

No data available.

**Known or predicted distribution to environmental compartments**

**TSE 392 C - cartg (310ml - 322g)**

CYCLOPENTYLSILAZANE -AMINOSILOXANE COPOLYMER, METHOXY TERMINATED gamma- Aminopropyltriethoxysilane	No data available.	
Dibutyltin Dilaurate	No data available.	
Dodecamethylcyclohexasiloxane	No data available.	
Decamethylcyclopentasiloxane	No data available.	
Octamethylcyclotetrasiloxane	No data available.	
<b>12.5 Results of PBT and vPvB assessment:</b>	Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)	
CYCLOPENTYLSILAZANE- AMINOSILOXANE COPOLYMER, METHOXY TERMINATED gamma- Aminopropyltriethoxysilane	No data available.	
Dibutyltin Dilaurate	No data available.	
Dodecamethylcyclohexasiloxane	vPvB: very persistent and very bioaccumulative substance.	Dodecamethylcyclohexasiloxane (D6) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D6 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D6 is not biomagnifying in aquatic and terrestrial food webs. D6 in air will degrade by naturally occurring reactions in the atmosphere. Any D6 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms</i>
Decamethylcyclopentasiloxane	vPvB: very persistent and very bioaccumulative substance.	Decamethylcyclopentasiloxane (D5) meets the current EU REACH Annex XIII criteria for vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D5 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D5 is not biomagnifying in aquatic and terrestrial food webs. D5 in air will degrade by naturally occurring reactions in the atmosphere. Any D5 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i>



<b>TSE 392 C - cartg (310ml - 322g)</b>		
Octamethylcyclotetrasiloxane	Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB)	Octamethylcyclotetrasiloxane (D4) meets the current EU REACH Annex XIII criteria for PBT and vPvB and has been added to the candidate list for Substances of very high concern (SVHC)., <i>However our understanding of the available science is that D4 does not behave similarly to known PBT/vPvB substances. The silicones industries interpretation of the available data is that the weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by naturally occurring reactions in the atmosphere. Any D4 in air that does not degrade by these reactions is not expected to deposit from the air to water, to land, or to living organisms.</i>

**12.6 Other adverse effects:** No data available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**General information:** The generation of waste should be avoided or minimized wherever possible. Do not discharge into drains, water courses or onto the ground. See Section 8 for information on appropriate personal protective equipment.

**Disposal methods:** Can be incinerated when in compliance with local regulations.

**SECTION 14: Transport information**

**ADR**

Not regulated.

**ADN**

Not regulated.

**RID**

Not regulated.

**IMDG**

Not regulated.

**IATA**

Not regulated.

**14.6 Special precautions for user:** This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods. Protect from moisture. Keep away from food, foodstuff, acids and bases. keep away from odour sensitive materials

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:**

**TSE 392 C - cartg (310ml - 322g)**

Not applicable

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**EU Regulations**

**Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances:** none

**Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex II, New Substances:** none

**EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended:** none

**Regulation (EC) No. 649/2012 Import and export of dangerous chemicals:**

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended:** none

**EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC):**

Chemical name	CAS-No.	Concentration
Dodecamethylcyclohexasiloxane	540-97-6	0 - <=0,2%
Decamethylcyclopentasiloxane	541-02-6	0 - <=0,2%

**Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:**

The packaging shall be visibly, legibly and indelibly marked as follows:  
 Restricted to professional users.

Chemical name	CAS-No.	Concentration
gamma-Aminopropyltriethoxysilane	919-30-2	0,1 - 1,0%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%
Decamethylcyclopentasiloxane	541-02-6	0,1 - 1,0%

**Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.:**

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

**Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.:**

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

**Directive 2012/18/EU (Seveso III): on the control of major accident hazards involving dangerous substances:** none

**EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants:**

**TSE 392 C - cartg (310ml - 322g)**

Chemical name	CAS-No.	Concentration
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

**Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:**

Chemical name	CAS-No.	Concentration
gamma-Aminopropyltriethoxysilane	919-30-2	0,1 - 1,0%
Dibutyltin Dilaurate	77-58-7	0,1 - 1,0%

**15.2 Chemical safety assessment:**

No Chemical Safety Assessment has been carried out.

**Inventory Status**

Australia AICS:	T (temporary special case)	Remarks: None.
Canada DSL Inventory List:	Q (quantity restricted)	Remarks: Please contact your supplier for further information on the inventory status of this material.
EINECS, ELINCS or NLP:	On or in compliance with the inventory	Remarks: None.
Japan (ENCS) List:	On or in compliance with the inventory	Remarks: None.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory	Remarks: None.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory	Remarks: None.
Canada NDSL Inventory:	Not in compliance with the inventory.	Remarks: None.
Philippines PICCS:	On or in compliance with the inventory	Remarks: None.
US TSCA Inventory:	On or in compliance with the inventory	Remarks: None.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.	Remarks: None.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory	Remarks: None.
REACH:	If purchased from Momentive Performance Materials GmbH in Leverkusen, Germany, all substances in this product have been registered by Momentive Performance Materials GmbH or upstream in our supply chain or are exempt from registration under Regulation (EC) No 1907/2006 (REACH). For polymers, this includes the constituent monomers and other reactants.	Remarks: None.

**SECTION 16: Other information**

**Revision Information:** Not relevant.

**TSE 392 C - cartg (310ml - 322g)**

**Key literature references and sources for data:**

The partition coefficient of D4 between PDMS and water has been determined as  $\log K_{PDMS-water} = 7.09$ . It follows that PDMS containing up to 3%w/w D4 will generate a thermodynamic limit concentration of 2.4 µg D4/L in the water phase. The critical 21d-NOEC for daphnia of 7.9 µg D4/L will not be reached. The product is therefore not classified for chronic aquatic toxicity

**Wording of the H-statements in section 2 and 3**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H360FD	May damage fertility. May damage the unborn child.
H370	Causes damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Training information:** No data available.

**Issue Date:** 01.03.2022

**Disclaimer:**

**Notice to reader**

Unless otherwise specified in section 1.2, Momentive Products are intended for industrial application only.

They are not intended for specific medical applications, neither for long-lasting (> 30 days) implantation into the human body, injected or directly ingested, nor for the manufacture of multiple usable contraceptives.

**Further Information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

® and TM indicate trademarks owned by or licensed to Momentive.