

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: **TB 1305**
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Sector of Use: SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category: PC1 Adhesives, sealants
- Application of the substance / the mixture: Acrylic resin
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: THREE BOND EUROPE S.A.S TEL : 33 (0)1 34 32 39 60
B.P 9105
95073 CERGY PONTOISE FAX : 33 (0)1 34 32 39 61
FRANCE
- Information department: Three Bond Europe H&S department : msds@threebond.fr
Site : http://quickfds.com
- 1.4 Emergency telephone number: ORFILA (France) - Tel : +33 (0)1 45 42 59 59 (24h)
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)
EU Tel : 112

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS07

- Signal word: Warning
- Hazard-determining components of labelling: 2-hydroxyethyl methacrylate
- Hazard statements: H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H413 May cause long lasting harmful effects to aquatic life.
- Precautionary statements: P280 Wear protective gloves/protective clothing/eye protection/face protection.
P273 Avoid release to the environment.

(Contd. on page 2)

GB

Trade name: TB 1305

(Contd. of page 1)

P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 **IF ON SKIN:** Wash with plenty of soap and water.

P501 **Dispose of contents/container in accordance with local/regional/national/international regulations.**

- 2.3 Other hazards
- Results of PBT and vPvB assessment

- **PBT:** Not applicable.








- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:

CAS: 41637-38-1 EC number: 609-946-4 Reg.nr.: 01-2119980659-17-XXXX	poly(oxy-1,2-ethanediyl), α, α' -[(1-methylethylidene)di-4,1-phenylene]bis[w-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-	50-100%
	Aquatic Chronic 4, H413	
CAS: 868-77-9 EINECS: 212-782-2 Reg.nr.: 01-2119490169-29-XXXX	2-hydroxyethyl methacrylate  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%
CAS: 80-15-9 EINECS: 201-254-7	α, α' -dimethylbenzyl hydroperoxide  Org. Perox. E, H242;  Acute Tox. 3, H311; Acute Tox. 3, H331;  STOT RE 2, H373;  Skin Corr. 1B, H314;  Aquatic Chronic 2, H411;  Acute Tox. 4, H302	1-<2.5%

- **SVHC** None

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- **After inhalation** Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact** Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing** Do not induce vomiting; call for medical help immediately. A person vomiting while lying on their back should be turned onto their side. Induce vomiting, only if affected person is fully conscious.

- **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

GB

Trade name: TB 1305

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mount respiratory protective device.
Wear fully protective suit.
- **Additional information** Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:** Ensure adequate ventilation.
Absorb liquid components with liquid-binding material.
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections** See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

(Contd. on page 4)


GB

Trade name: TB 1305

(Contd. of page 3)

- Use only receptacles specifically permitted for this substance/product.*
- **Information about storage in one common storage facility:** *Do not store together with oxidising and acidic materials.
Store away from reducing agents.
Store away from metals.*
 - **Further information about storage conditions:** *Protect from heat and direct sunlight.*
 - **7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:** *The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*
- **Additional information:** *The lists that were valid during the creation were used as basis.*
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** *The usual precautionary measures should be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.*
- **Breathing equipment:** *Use suitable respiratory protective device in case of insufficient ventilation.*
- **Protection of hands:**  *Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*
- **Material of gloves** *Nitrile rubber, NBR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.*
- **Penetration time of glove material** *The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- **Eye protection:** *Safety glasses*
- **Body protection:** *Protective work clothing.*

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
 - Form:** *Fluid*
 - Colour:** *Green*

(Contd. on page 5)

GB

Trade name: TB 1305

(Contd. of page 4)

- Odour:	Characteristic
- Change in condition	
Melting point/freezing point:	Not applicable
Initial boiling point and boiling range:	Not applicable
- Flash point:	180 °C
- Flammability (solid, gaseous)	Not applicable.
- Self igniting:	Product is not selfigniting.
- Explosive properties:	Product does not present an explosion hazard.
- Vapour pressure:	Not determined.
- Density at 25 °C:	1.1
- Evaporation rate	Not determined.
- Solubility in / Miscibility with Water:	Not miscible or difficult to mix
- Viscosity:	
dynamic at 25 °C:	600 mPas
- 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
 - Danger of polymerization
 - Reacts with catalysts, oxidizing agents and strong alkali
 - Reacts with peroxides
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification:

41637-38-1 poly(oxy-1,2-ethanediyl), α,α'-[(1-methylethylidene)di-4,1-phenylene]bis[ω-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-		
Oral	LD50	> 2000 mg/kg (rat) (OCDE Ligne Directrice 423)
Dermal	LD50	> 2000 mg/kg (rat) (OCDE Ligne directrice 402)
868-77-9 2-hydroxyethyl methacrylate		
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rabbit)
80-15-9 α,α -dimethylbenzyl hydroperoxide		
Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)

(Contd. on page 6)

GB

Trade name: TB 1305


(Contd. of page 5)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  Must be specially treated adhering to official regulations. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations. Dispose of packaging according to regulations on the disposal of packagings.

SECTION 14: Transport information

- | | |
|--|------|
| - 14.1 UN-Number | |
| - ADR, ADN, IMDG, IATA | Void |
| - 14.2 UN proper shipping name | |
| - ADR, ADN, IMDG, IATA | Void |
| - 14.3 Transport hazard class(es) | |
| - ADR, ADN, IMDG, IATA | |
| - Class | Void |

(Contd. on page 7)

GB

Trade name: TB 1305

(Contd. of page 6)

- 14.4 Packing group - ADR, IMDG, IATA	Void
- 14.5 Environmental hazards: - Marine pollutant:	No
- 14.6 Special precautions for user	Not applicable.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
- Transport/Additional information:	Not dangerous according to the above specifications.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I
None of the ingredients is listed.
- 15.2 Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H242 Heating may cause a fire.
 - H302 Harmful if swallowed.
 - H311 Toxic in contact with skin.
 - H314 Causes severe skin burns and eye damage.
 - H315 Causes skin irritation.
 - H317 May cause an allergic skin reaction.
 - H319 Causes serious eye irritation.
 - H331 Toxic if inhaled.
 - H373 May cause damage to organs through prolonged or repeated exposure.
 - H411 Toxic to aquatic life with long lasting effects.
 - H413 May cause long lasting harmful effects to aquatic life.
- **Abbreviations and acronyms:**
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 - ICAO: International Civil Aviation Organisation
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - SVHC: Substances of Very High Concern
 - vPvB: very Persistent and very Bioaccumulative
 - Org. Perox. E: Organic peroxides – Type E/F

(Contd. on page 8)

GB

Trade name: TB 1305

(Contd. of page 7)

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

GB