

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4

Printing date 20.03.2017

- Information department:

- 1.4 Emergency telephone

Quick-FDS [18078-60830-27667-010501] - 2017-06-29 - 16:53:50

FAX : 33 (0)1 34 32 39 61

Page 1/8

SECTION 1: Identification of the substance/mixture and of the company/ undertaking - 1.1 Product identifier - Trade name: TB 1212 - 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. - Application of the substance / the mixture Silicate sealing - 1.3 Details of the supplier of the safety data sheet - Manufacturer/Supplier: THREE BOND EUROPE S.A.S TEL: 33 (0)1 34 32 39 60

95073 CERGY PONTOISE

Site : http://quickfds.com

Three Bond Europe H&S department : msds@threebond.fr

echsil co l

B.P 9105

FRANCE

	ORFILA (France) - Tel : +33 (0)1 45 42 59 59 (24h) Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel : 112
SECTION 2: Hazards ide	entification
- 2.1 Classification of the sub	stance or mixture Regulation (EC) No 1272/2008
	legulation (LC) NO 12/2/2000
GHS05 corrosion	
Eye Dam. 1 H318 Causes s	erious eye damage.
GHS07	
$\mathbf{\nabla}$	
Skin Irrit. 2 H315 Causes s	kin irritation.
Skin Sens. 1 H317 May caus	e an allergic skin reaction.
- Labelling according to	
	08 The product is classified and labelled according to the CL regulation.
	08 The product is classified and labelled according to the CL regulation.
Regulation (EC) No 1272/200	08 The product is classified and labelled according to the CL regulation. GHS05 GHS07
Regulation (EC) No 1272/200	
Regulation (EC) No 1272/200 - Hazard pictograms	GHS05 GHS07
Regulation (EC) No 1272/200 - Hazard pictograms - Signal word	regulation. GHS05 GHS07 Danger butan-2-one O,O',O''-(methylsilylidyne)trioxime
Regulation (EC) No 1272/200 - Hazard pictograms - Signal word - Hazard-determining	regulation. GHS05 GHS07 Danger butan-2-one O,O',O''-(methylsilylidyne)trioxime 2-Butanone, O,O',O''-(ethenylsilylidyne)trioxime
Regulation (EC) No 1272/200 - Hazard pictograms - Signal word - Hazard-determining	regulation. GHS05 GHS07 Danger butan-2-one O,O',O''-(methylsilylidyne)trioxime 2-Butanone, O,O',O''-(ethenylsilylidyne)trioxime 2-butanone oxime
Regulation (EC) No 1272/200 - Hazard pictograms - Signal word - Hazard-determining	regulation. GHS05 GHS07 Danger butan-2-one O,O',O''-(methylsilylidyne)trioxime 2-Butanone, O,O',O''-(ethenylsilylidyne)trioxime 2-butanone oxime 3-aminopropyltriethoxysilane H315 Causes skin irritation.
Regulation (EC) No 1272/200 - Hazard pictograms - Signal word - Hazard-determining components of labelling:	regulation.
Regulation (EC) No 1272/200 - Hazard pictograms - Signal word - Hazard-determining components of labelling:	regulation. GHS05 GHS07 Danger butan-2-one O,O',O''-(methylsilylidyne)trioxime 2-Butanone, O,O',O''-(ethenylsilylidyne)trioxime 2-butanone oxime 3-aminopropyltriethoxysilane H315 Causes skin irritation.



Page 2/8

Version number 4

Revision: 20.03.2017

Trade name: TB 1212

Printing date 20.03.2017

P280	(Contd. of page 1) Wear protective gloves / eye protection.
	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- Results of PBT and vPvB assessment

- PBT:

T: Not applicable.

- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures - Description:	Mixture of the substances listed below with non additions.	hazardous
- Dangerous components:	During curing, oxime type silicones gradually relea oxime (MEKO) when exposed to humid air.	se butano-
CAS: 22984-54-9 EINECS: 245-366-4	butan-2-one O,O',O''-(methylsilylidyne)trioxime Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	2.5-<10%
CAS: 2224-33-1 EINECS: 218-747-8	2-Butanone, O,O',O''-(ethenylsilylidyne)trioxime ♦ Eye Dam. 1, H318; ♥ Skin Irrit. 2, H315; Skin Sens. 1, H317	2.5-<10%
CAS: 96-29-7 EINECS: 202-496-6	2-butanone oxime � Carc. 2, H351; ♥ Eye Dam. 1, H318; ♦ Acute Tox. 4, H312; Skin Sens. 1, H317	0.5-<1%
CAS: 919-30-2 EINECS: 213-048-4 Reg.nr.: 01-2119480479-24-X	3-aminopropyltriethoxysilane ♥ Skin Corr. 1B, H314;	0.5-<1%
- Additional information	For the wording of the listed hazard phrases refer to s	ection 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- After inhalation	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.
- After skin contact	Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
- After eye contact	Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing	Do not induce vomiting; call for medical help immediately. A person vomiting while lying on their back should be turned onto their side. Induce vomiting, only if affected person is fully conscious.
 4.2 Most important symptoms and effects, both acute and delayed 	No further relevant information available. (Contd. on page 3)





Printing date 20.03.2017

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4

Revision: 20.03.2017

Page 3/8

Trade name: TB 1212

(Contd. of page 2)

- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media - Suitable extinguishing	
agents	CO2, extinguishing powder or water spray. Fight larger fires with
agents	water spray.
	Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising	
from the substance or	
mixture	In case of fire, the following can be released:
	Nitrogen oxides (NOx)
	Carbon monoxide (CO)
- 5.3 Advice for firefighters	
- Protective equipment:	Wear self-contained respiratory protective device.
	Mount respiratory protective device.
- Additional information	Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures	Keep away from ignition sources Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Wear protective clothing.
- 6.2 Environmental	
precautions:	Do not allow product to reach sewage system or any water course.
 - 6.3 Methods and material for containment and cleaning 	
up:	Use neutralising agent.
	Ensure adequate ventilation.
	Absorb liquid components with liquid-binding material.
	Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other	
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling	Thorough dedusting. Ensure good ventilation/exhaustion at the workplace.	
 Information about protection against explosions and fires: 	(Contd. on page 4))





Safety data sheet according to 1907/2006/EC, Article 31

Revision: 20.03.2017

Page 4/8

Printing date 20.03.2017

Trade name: TB 1212

Version number 4

	(Contd. of page 3) e, including any incompatibilities
- Storage - Requirements to be met by	
storerooms and receptacles:	
	Use only receptacles specifically permitted for this substance/
	product.
- Information about storage in	
one common storage facility:	Store away from water.
- Further information about	
storage conditions:	Protect from humidity and water.
0	Keep receptacle tightly sealed.
	Protect from heat and direct sunlight.
- 7.3 Specific end use(s)	No further relevant information available.
SECTION 8: Exposure co	ntrols/personal protection
Additional information about	
design of technical systems:	No further data; see item 7.
8.1 Control parameters	
Components with limit values	
that require monitoring at the	—
workplace:	The product does not contain any relevant quantities of materials
	with critical values that have to be monitored at the workplace.
- Additional information:	The lists that were valid during the creation were used as basis.
 Personal protective equipmen General protective and hygienic measures 	<i>t</i> Avoid close or long term contact with the skin.
, <u>,</u> ,	The usual precautionary measures should be adhered to when
	handling chemicals.
	Keep away from foodstuffs, beverages and feed.
	Immediately remove all soiled and contaminated clothing
	Wash hands before breaks and at the end of work.
	Do not inhale gases / fumes / aerosols.
	Avoid contact with the eyes and skin.
- Breathing equipment:	Use suitable respiratory protective device in case of insufficient
<u> </u>	ventilation.
Protection of hands:	M
	Protective gloves.
	FIDIECLIVE GIOVES.
	The glove material has to be impermeable and
	The glove material has to be impermeable and
	resistant to the product/ the substance/ the
Matarial of slaves	preparation.
- Material of gloves	Nitrile rubber, NBR
	The selection of the suitable gloves does not only depend on the
	material, but also on further marks of quality and varies from
	manufacturer to manufacturer.
Penetration time of glove	
material	The exact break trough time has to be found out by the
_	manufacturer of the protective gloves and has to be observed.
- Eye protection:	Safety glasses
- Body protection:	Protective work clothing.
	(Contd. on page 5
	(oonta. on page o,

Quick-FDS [18078-60830-27667-010501] - 2017-06-29 - 16:53:50



Printing date 20.03.2017

Version number 4

Page 5/8

Revision: 20.03.2017

Trade name: TB 1212

(Contd. of page 4)

0.1 Information on basic physical	and chemical properties
General Information	
Appearance: Form:	Pastv
Colour:	White
Odour:	Characteristic
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling	range: Not applicable
Flash point:	Not applicable
Flammability (solid, gaseous)	Not determined.
Self igniting:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Vapour pressure:	Not applicable.
Density at 25 ℃:	1.05 g/cm³
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity

10.2 Chemical stability
 Thermal decomposition / conditions to be avoided:

No further relevant information available.

No further relevant information available.

No decomposition if used according to specifications.

 10.3 Possibility of hazardous reactions

- 10.4 Conditions to avoid

- 10.5 Incompatible materials:

- 10.6 Hazardous

decomposition products:

Quick-FDS [18078-60830-27667-010501] - 2017-06-29 - 16:53:50

gases/vapours (MEKO) Liberates butanone-oxime (MEKO) on exposure to humid air.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity	Based on available data, the classification criteria are not met.
- LD/LC50 values that are re	levant for classification:

Reacts with humid air Danger of polymerization

96-29-7 2-butanone oxime Oral LD50 3700 mg/kg (rat) Dermal LD50 200-2000 mg/kg (rat)

Water

(Contd. on page 6)



Printing date 20.03.2017

Safety data sheet according to 1907/2006/EC, Article 31

Version number 4

Revision: 20.03.2017

Page 6/8

Trade name: TB 1212

nnalativa 1.750//1.6 20 ma/l/	(Contd. of page
Inhalative LC50/4 h 20 mg/l (I	rat)
Primary irritant effect:	
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	n Causes serious eye damage.
Respiratory or skin	
sensitisation	May cause an allergic skin reaction.
	mutagenicity and toxicity for reproduction)
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
12.1 Toxicity	
SECTION 12: Ecological	
Aquatic toxicity:	No further relevant information available.
12.2 Persistence and	No further relevant information evaluable
degradability	No further relevant information available.
12.3 Bioaccumulative	No further relevant information available.
potential	No further relevant information available. No further relevant information available.
12.4 Mobility in soil	
Additional ecological informa General notes:	
General noies:	Generally not hazardous for water.
	Must not reach coward water or drainage ditch undiluted
	Must not reach sewage water or drainage ditch undiluted o unneutralised.
12.5 Results of PBT and vPv	unneutralised. B assessment
12.5 Results of PBT and vPv PBT:	unneutralised. B assessment Not applicable.
12.5 Results of PBT and vPv PBT: vPvB: 12.6 Other adverse effects	unneutralised. B assessment

Uncleaned packagings: Recommendation:

Dispose of packaging according to regulations on the disposal of packagings. Disposal must be made according to official regulations.

hsil.co.u

- Recommended cleansing agent:

Alcohol

SECTION 14: Transport information - 14.1 UN-Number - ADR, ADN, IMDG, IATA Void - 14.2 UN proper shipping name - ADR, ADN, IMDG, IATA Void (Contd. on page 7)





Version number 4

Printing date 20.03.2017

Revision: 20.03.2017

Page 7/8

Trade name: TB 1212

	(Contd. of page 6
- 14.3 Transport hazard class(es)	
- ADR, ADN, IMDG, IATA	
- Class	Void
- 14.4 Packing group	
- ADR, IMDG, IATA	Void
- 14.5 Environmental hazards:	
- Marine pollutant:	No
- 14.6 Special precautions for user	Not applicable.
- 14.7 Transport in bulk according to An	nex II
of Marpol and the IBC Code	Not applicable.
- Transport/Additional information:	Not dangerous according to the above specifications.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU - Named dangerous
- substances ANNEX I

None of the ingredients is listed.

- National regulations

- Water hazard class: Generally not hazardous for water.

- Other regulations, limitations and prohibitive regulations - Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- 15.2 Chemical safety assessment: A Chemica

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases	 H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.
	H351 Suspected of causing cancer.
- Abbreviations and acronyms:	dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association
	(Contd. on page 8)





Page 8/8

Printing date 20.03.2017

Version number 4

Revision: 20.03.2017

Trade name: TB 1212

