

Page 1/8

Version number 3 Printing date 21.03.2017 Revision: 21.03.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier

- Trade name: TB 1375B

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Sector of Use SU3 Industrial uses: Uses of substances as such or in

preparations at industrial sites

- Product category PC1 Adhesives, sealants

- Application of the substance

/ the mixture Acrylic resin

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: THREE BOND EUROPE S.A.S TEL: 33 (0)1 34 32 39 60

B.P 9105

95073 CERGY PONTOISE FAX: 33 (0)1 34 32 39 61

FRANCE

Three Bond Europe H&S department: msds@threebond.fr - Information department:

Site: http://quickfds.com

- 1.4 Emergency telephone

number: ORFILA (France) - Tel: +33 (0)1 45 42 59 59 (24h)

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

EU Tel: 112

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

- 2.2 Label elements
- Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS07

- Signal word Warning

- Hazard-determining

components of labelling: 2-hydroxyethyl methacrylate

2-hydroxyethyl methacrylate H315 Causes skin irritation.

- Hazard statements

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life. - Precautionary statements P280

Wear protective gloves / eye protection. P273 Avoid release to the environment.

(Contd. on page 2)



Page 2/8

Printing date 21.03.2017 Version number 3 Revision: 21.03.2017

Trade name: TB 1375B

(Contd. of page 1)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and

water.

P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- **PBT:** Not applicable. - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Mixture of the substances listed below with nonhazardous

additions.

- Dangerous components:		
CAS: 41637-38-1 EC number: 609-946-4 Reg.nr.: 01-2119980659-17-XXXX	poly(oxy-1,2-ethanediyl), α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -[(2-methyl-1-oxo-2-propen-1-yl)oxy]- Aquatic Chronic 4, H413	25-50%
CAS: 868-77-9 EINECS: 212-782-2	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%
CAS: 868-77-9 EINECS: 212-782-2 Reg.nr.: 01-2119490169-29-XXXX	2-hydroxyethyl methacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%
CAS: 80-15-9 EINECS: 201-254-7	α,α -dimethylbenzyl hydroperoxide Org. Perox. E, H242; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Chronic 2, H411: Acute Tox. 4, H302	0.25-0.5%

- **SVHC** None

- Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- After inhalation Supply fresh air. If required, provide artificial respiration. Keep

patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position

for transportation.

- After skin contact Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact Rinse opened eye for several minutes under running water. Then

consult a doctor.

- After swallowing Do not induce vomiting; call for medical help immediately.

Induce vomiting, only if affected person is fully conscious.

A person vomiting while lying on their back should be turned onto

their side.

(Contd. on page 3)

GE



Page 3/8

Version number 3 Printing date 21.03.2017 Revision: 21.03.2017

Trade name: TB 1375B

(Contd. of page 2)

- 4.2 Most important symptoms and effects, both

acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with

Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of

- 5.3 Advice for firefighters

- Protective equipment:

Wear fully protective suit.

Mount respiratory protective device.

- Additional information Collect contaminated fire fighting water separately. It must not

enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in

accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation Wear protective clothing.

- 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water

course.

Inform respective authorities in case of seepage into water

course or sewage system.

- 6.3 Methods and material for containment and cleaning

up:

Dispose contaminated material as waste according to item 13.

Absorb liquid components with liquid-binding material.

- 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Information about protection

against explosions and fires: No special measures required.

(Contd. on page 4)



Page 4/8

Printing date 21.03.2017 Version number 3 Revision: 21.03.2017

Trade name: TB 1375B

(Contd. of page 3)

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage

- Requirements to be met by

storerooms and receptacles: Store in a cool location.

Use only receptacles specifically permitted for this substance/

product.

- Information about storage in

one common storage facility: Store away from reducing agents.

Store away from metals.

Store away from oxidising agents.

- Further information about

storage conditions:
- 7.3 Specific end use(s)

Protect from heat and direct sunlight. No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about

design of technical systems: No further data; see item 7.

- 8.1 Control parameters

- Components with limit values that require monitoring at the

workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace. The lists that were valid during the creation were used as basis.

- Additional information:

- 8.2 Exposure controls - Personal protective equipment

- General protective and

hygienic measures The usual precautionary measures should be adhered to when

handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment: Use suitable respiratory protective device in case of insufficient

ventilation.

- Protection of hands:

Protective gloves.

- Material of gloves Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from

manufacturer to manufacturer.

- Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses

- **Body protection:** Protective work clothing.

GB

(Contd. on page 5)



Page 5/8

Printing date 21.03.2017 Version number 3 Revision: 21.03.2017

Trade name: TB 1375B

(Contd. of page 4)

SECTION 9: Ph	ysical and c	hemical	proper	ties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Fluid Green
- Odour: Characteristic

- Change in condition

Melting point/freezing point: Not applicable **Initial boiling point and boiling range:** Not applicable

- Flash point: 180 ℃

- Flammability (solid, gaseous) Not applicable.

- **Self igniting:** Product is not selfigniting.

- Explosive properties: Product does not present an explosion hazard.

- **Density at 25 ℃:** 1.1

- Solubility in / Miscibility with

Water: Not miscible or difficult to mix

- Viscosity:

dynamic at 25 ℃: 800 mPas

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous

reactions

Danger of polymerization

Reacts with catalysts, oxidizing agents and strong alkali

Reacts with peroxides

- 10.4 Conditions to avoid
 - 10.5 Incompatible materials:
 No further relevant information available.

- 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification:

*868-77-9 2-hydroxyethyl methacrylate*Oral | LD50 | >5000 mg/kg (rat)

Dermal LD50 >3000 mg/kg (rabbit)

41637-38-1 poly(oxy-1,2-ethanediyl), α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -[(2-methylethylidene)di-4,1-phenylene]bis[ω -[(2-methylidene)di-4,1-phenylene]bis[ω -[(2-methylidene)di-4,1-phenylene]bis[ω -[(2-methylidene)di-4,1-phenylene]bis[(2-methylidene)di-4,1-phenylene]bis[(2-met

methyl-1-oxo-2-propen-1-yl)oxy]-

Oral LD50 > 2000 mg/kg (rat) (OCDE LIgne Directrice 423)

Dermal LD50 > 2000 mg/kg (rat) (OCDE Ligne directrice 402)

(Contd. on page 6)



Page 6/8

(Contd. of page 5)

Printing date 21.03.2017 Version number 3 Revision: 21.03.2017

Trade name: TB 1375B

80-15-9 α,α -dimethylbenzyl hydroperoxide

 Oral
 LD50
 382 mg/kg (rat)

 Dermal
 LD50
 500 mg/kg (rat)

 Inhalative
 LC50/4 h
 220 mg/l (rat)

- Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.
 Serious eye damage/irritation Causes serious eye irritation.

- Respiratory or skin

sensitisation May cause an allergic skin reaction.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and

degradability No further relevant information available.

- 12.3 Bioaccumulative

potential No further relevant information available.
 12.4 Mobility in soil No further relevant information available.

- Additional ecological information:

- General notes: Not known to be hazardous to water.

12.5 Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Must be specially treated adhering to official regulations.

X

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:

- Recommendation: Dispose of packaging according to regulations on the disposal of

packagings.

Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number

- ADR, ADN, IMDG, IATA Void

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA Void

(Contd. on page 7)

GE



Page 7/8

Version number 3 Printing date 21.03.2017 Revision: 21.03.2017

Trade name: TB 1375B

	(Contd. of page
- 14.3 Transport hazard class(es)	
- ADR, ADN, IMDG, IATA	
- Class	Void
- 14.4 Packing group	
- ADR, IMDG, IATA	Void
- 14.5 Environmental hazards:	
- Marine pollutant:	No
- 14.6 Special precautions for user	Not applicable.
- 14.7 Transport in bulk according to Anne.	x II
of Marpol and the IBC Code	Not applicable.
- Transport/Additional information:	Not dangerous according to the above specifications.
- UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous
- substances ANNEX I
- 15.2 Chemical safety
- assessment:
- None of the ingredients is listed.
- A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases H242 Heating may cause a fire.

> H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or

repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

- Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) (Contd. on page 8)



Page 8/8

Printing date 21.03.2017 Version number 3 Revision: 21.03.2017

Trade name: TB 1375B

(Contd. of page 7)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Org. Perox. E: Organic peroxides - Type E/F Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Skin corrosion/milaton – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 4