

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: TB 1360

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

- Product category PC1 Adhesives, sealants

- Application of the substance / the mixture Acrylic resin

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: THREE BOND EUROPE S.A.S TEL : 33 (0)1 34 32 39 60
B.P 9105
95073 CERGY PONTOISE FAX : 33 (0)1 34 32 39 61
FRANCE

- Information department: Three Bond Europe H&S department : msds@threebond.fr
Site : http://quickfds.com

- 1.4 Emergency telephone number:

ORFILA (France) - Tel : +33 (0)1 45 42 59 59 (24h)
Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24)
EU Tel : 112

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements

- Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

- Hazard pictograms



GHS07

- Signal word Warning

- Hazard statements

H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P280 Wear protective gloves / eye protection.
P273 Avoid release to the environment.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.

(Contd. on page 2)

GB

Trade name: TB 1360
- vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:

CAS: 41637-38-1 EC number: 609-946-4 Reg.nr.: 01-2119980659-17-XXXX	poly(oxy-1,2-ethanediyl), α, α' -[(1-methylethylidene)di-4,1-phenylene]bis[w-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-Aquatic Chronic 4, H413	50-100%
CAS: 80-15-9 EINECS: 201-254-7	α, α' -dimethylbenzyl hydroperoxide ⚠ Org. Perox. E, H242; ⚠ Acute Tox. 3, H311; Acute Tox. 3, H331; ⚠ STOT RE 2, H373; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302	1-<2.5%
CAS: 3290-92-4 EINECS: 221-950-4 Reg.nr.: 01-2119542176-41-XXXX	propylidynetrimethyl trimethacrylate ⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312	1-<2.5%

- SVHC None

- Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- After inhalation** Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.
- After skin contact** Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing** Do not induce vomiting; call for medical help immediately.
Induce vomiting, only if affected person is fully conscious.
A person vomiting while lying on their back should be turned onto their side.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

 CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
Use fire fighting measures that suit the environment.

- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 3)

GB

Trade name: TB 1360

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** *Wear fully protective suit.
Mount respiratory protective device.*
- **Additional information** *Cool endangered receptacles with water spray.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.*

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** *Ensure adequate ventilation
Wear protective clothing.*
- **6.2 Environmental precautions:** *Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.*
- **6.3 Methods and material for containment and cleaning up:** *Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Absorb liquid components with liquid-binding material.*
- **6.4 Reference to other sections** *See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.*

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** *Ensure good ventilation/exhaustion at the workplace.*
- **Information about protection against explosions and fires:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** *Store in a cool location.
Use only receptacles specifically permitted for this substance/product.*
- **Information about storage in one common storage facility:** *Store away from metals.
Store away from oxidising agents.
Store away from reducing agents.*
- **Further information about storage conditions:** *Protect from heat and direct sunlight.*
- **7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*

(Contd. on page 4)

GB

Trade name: TB 1360

(Contd. of page 3)

- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information:

The lists that were valid during the creation were used as basis.

- 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

- Protection of hands:



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:

Safety glasses

- Body protection:

Protective work clothing.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Fluid

Colour: Red

- Odour: Characteristic

- Change in condition

Melting point/freezing point: undetermined

Initial boiling point and boiling range: Not applicable

- Flash point: 180 °C

- Flammability (solid, gaseous) Not applicable.

- Self igniting: Product is not selfigniting.

- Explosive properties: Product does not present an explosion hazard.

- Density at 25 °C: 1.1

- Solubility in / Miscibility with Water:

Not miscible or difficult to mix

(Contd. on page 5)

GB

Trade name: TB 1360

(Contd. of page 4)

- **Viscosity:**
 dynamic at 25 °C: 1150 mPas
- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
 - Danger of polymerization
 - Reacts with peroxides
 - Reacts with catalysts, oxidizing agents and strong alkali
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- LD/LC50 values that are relevant for classification:

41637-38-1 poly(oxy-1,2-ethanediyl), α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-

Oral	LD50	> 2000 mg/kg (rat) (OCDE Ligne Directrice 423)
------	------	--

Dermal	LD50	> 2000 mg/kg (rat) (OCDE Ligne directrice 402)
--------	------	--

80-15-9 α,α' -dimethylbenzyl hydroperoxide

Oral	LD50	382 mg/kg (rat)
------	------	-----------------

Dermal	LD50	500 mg/kg (rat)
--------	------	-----------------

Inhalative	LC50/4 h	220 mg/l (rat)
------------	----------	----------------

3290-92-4 propylidynetrimethyl trimethacrylate

Oral	LD50	2000 mg/kg (rat) (OCDE Ligne directrice 423)
------	------	--

Dermal	LD50	2000 mg/kg (rat) (OCDE Ligne directrice 402)
--------	------	--

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.


(Contd. on page 6)

Trade name: TB 1360

(Contd. of page 5)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**




Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must be specially treated adhering to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|-----------------|
| - 14.1 UN-Number | |
| - ADR, ADN, IMDG, IATA | Void |
| - 14.2 UN proper shipping name | |
| - ADR, ADN, IMDG, IATA | Void |
| - 14.3 Transport hazard class(es) | |
| - ADR, ADN, IMDG, IATA | |
| - Class | Void |
| - 14.4 Packing group | |
| - ADR, IMDG, IATA | Void |
| - 14.5 Environmental hazards: | |
| - Marine pollutant: | No |
| - 14.6 Special precautions for user | Not applicable. |
| - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |

(Contd. on page 7)

GB

Trade name: TB 1360

(Contd. of page 6)

- UN "Model Regulation": Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H242 Heating may cause a fire.
 - H302 Harmful if swallowed.
 - H311 Toxic in contact with skin.
 - H312 Harmful in contact with skin.
 - H314 Causes severe skin burns and eye damage.
 - H331 Toxic if inhaled.
 - H373 May cause damage to organs through prolonged or repeated exposure.
 - H411 Toxic to aquatic life with long lasting effects.
 - H413 May cause long lasting harmful effects to aquatic life.
- **Abbreviations and acronyms:**
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 - IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 - ICAO: International Civil Aviation Organisation
 - ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
 - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - SVHC: Substances of Very High Concern
 - vPvB: very Persistent and very Bioaccumulative
 - Org. Perox. E: Organic peroxides – Type E/F
 - Acute Tox. 4: Acute toxicity – Category 4
 - Acute Tox. 3: Acute toxicity – Category 3
 - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 - STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
 - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

(Contd. on page 8)

GB

Trade name: TB 1360

(Contd. of page 7)
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

GB